

# Viscount Mining Drills 113.5 g/t Silver (3.65 oz/t) over 9 meters (29.53 ft) At Its Silver Cliff Property In Colorado

14.02.2018 | [Newsfile](#)

Vancouver, February 14, 2018 - [Viscount Mining Corp.](#) (TSXV: VML) (OTCQB: VLMGF) ("Viscount" or "the Company"), is pleased to announce the fourth set of assay results from the Phase 2 HQ core drilling program at their Silver Cliff property in the Hardscrabble Silver District of Custer County, Colorado (the "Property"). The 2017 program commenced in mid-October and completed on December 9th has as its primary objective the verification of historical drill results for current mineral resource estimation on one of the Silver Cliff deposits known as the Kate Silver Resource (the "KSR"). This release is reporting values from DDH P17001 and DDH P17003, the sixth and seventh of ten holes.

## 2017 Drill Holes Announced to Date

Viscount Hole #	Historical Hole #	From (m)	From (ft.)	To (m)	To (ft.)	Length (m)	Length (ft.)	Ag (oz/t)	Ag (g/t)
P17001	79-02-03	24	78.74	33	108.27	9	29.53	3.65	113.5
P17001	79-02-03	25.5	83.66	28.5	93.50	3	9.84	7.64	237.5
P17002	79-05_CC	0	0	34.5	113.2	34.5	113.2	2.91	90.35
P17002	79-05_CC	12	39.4	30	98.4	18	59	3.88	120.58
P17003	SC-09	15	49.2	21	68.88	6	19.68	1.88	58.5
P17003	SC-09	16.5	54.13	18	59.05	1.5	4.92	2.76	86
P17004	77 -07_CC	6	19.7	39	128	33	108.3	2.83	90.35
P17004	77 -07_CC	9	29.5	39	128	30	98.5	3.07	95.48
P17004	77-07_CC	15	49.2	39	128	24	78.8	3.51	109.04
P17006	88-16	0	0	24.5	80.4	24.5	80.4	4.82	149.88
P17006	88_16	0	0	15.5	50.9	15.5	50.9	6.56	203.90
P17007	88_32	0	0	39	128	39	128	1.38	42.85
P17007	88_32	12	39.4	24	78.7	12	39.3	2.65	82.50
P17010	RH27_CAL	13.5	44.3	46.5	152.6	33	108.3	2.57	79.53
P17010	RH27_CAL	33	108.3	46.5	152.5	13.5	44.5	3.95	122.85

Current hole P17001 was drilled at -90 degrees and gave the following results: 113.5 g/t (3.65 oz/t) over 9 m (29.53 ft) from 24m (78.74 ft) to 33 m (108.27 ft) including 237.5 g/t (7.64 oz/t) over 3 m (9.84 ft) from 25.5 m (83.66) to 28.5 m (93.54 ft). This hole is notable in that it assessed the less tested northern portion of the Kate deposit. The true thickness of the reported intersection of this hole is estimated at 100%.

Current hole P17003 was drilled at -90 degrees and gave the following results: 58.5 g/t (1.88 oz/t) over 6 m (19.7 ft) from 15 m (49.2 ft) to 21 m (68.9 ft) that includes 86 g/t (4.92 oz/t) over 1.5 m (4.92 ft) from 16.5 m (54.13 ft) to 18 m (59.05 ft). The true thickness of the reported intersection of this hole is estimated at 100%.

The silver mineralization either parallels the topographic surface or the 3-5° dip of the volcanic stratigraphy. Thus, true thickness is approximated by the drill hole intersections of the vertical holes for which assays are reported in the above table. They are 100% of the vertical drill hole intersections. Those holes are P17001, P17002, P17003, P17004 and P17010.

Mark Abrams, Viscount Director and geologist stated: "The drill program from 2016 and 2017 is showing very positive results that have lead us to believe we are getting to a point in our understanding where we can start to target potential higher grade feeder zones some of which appear to have been the focus of historic mining.

Quality Assurance/Quality Control ("QA/QC") Measures, Chain of Custody

The Company has implemented a QA/QC program using best industry practices at the Silver Cliff Property. Drill core samples are sawn in half lengthwise and one half transported in securely-sealed bags to the ALS laboratory in Reno, Nevada, for sample preparation and subsequent analysis at ALS Canada Ltd. in Vancouver. Prior to transport, individual samples are labeled, placed in plastic sample bags and sealed. One certified standard for each 20 samples is included. Groups of samples are then placed into durable rice bags and shipped. The sample pulps and rejects will be retrieved from ALS. For the 1.5 m (4.92 ft) interval samples that are the subject of this report of DDH's PI 17001, P17003 results and for the previous above - tabulated holes, the ALS method with code ME-GRA21 was utilized for determining both gold and silver. It consists of fire assay and gravimetric finish (30g nominal sample weight). Eight certified standards were included with the shipment of samples from P17001 and P17003.

#### Qualified Persons

The scientific and technical information contained in this news release has been reviewed and approved by Dallas W. Davis, P.Eng, FEC, an independent consulting geologist who is a "Qualified Person" as such term is defined under National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101").

#### About Viscount Mining (TSXV: VML) (OTCQB: VLMGF)

Viscount Mining is a project generator and an exploration company with a portfolio of silver and gold properties in the Western United States, including Silver Cliff in Colorado and Cherry Creek in Nevada.

The Silver Cliff property in Colorado lies within the historic Hardscrabble Silver District in the Wet Mountain Valley, Custer County, south-central Colorado. It is located 44 miles WSW of Pueblo, Colorado, and has year-around access by paved road. The property consists of 2,029 acres where high grade silver, gold and base metal production came from numerous mines during the period 1878 to the early 1900's. The property underwent substantial exploration between 1967 and 1984.

The property is interpreted to encompass a portion of a large caldera and highly altered sequence of Tertiary rhyolitic flows and fragmental units which offers potential to host deposits with both precious and base metals. This has been demonstrated in the mineralization historically extracted from the numerous underground and surface mining operations. Drilling in the 1980s by Tenneco resulted in a historical pre-feasibility study on which basis it was planned to bring the property to production. The plan was abandoned following take over by another company.

The Cherry Creek Property is focused on exploration in the immediate vicinity of an area commonly known as the Cherry Creek Mining District, located approximately 30 miles north of the town of Ely, in White Pine County, Nevada. Cherry Creek consists of over 400 unpatented and patented claims as well as mill rights, and is comprised of more than 8,000 acres. Cherry Creek includes more than 20 past producing mines.

For additional information regarding the above noted property and other corporate information, please visit the Company's website at [www.viscountmining.com](http://www.viscountmining.com)

#### ON BEHALF OF THE BOARD OF DIRECTORS

"Jim MacKenzie"

President, CEO and Director

For further information, please contact:  
Viscount Investor Relations  
Phone: 1 844 863 3622  
Email: [info@viscountmining.com](mailto:info@viscountmining.com)

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of

the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

### Forward-Looking Statements

This news release contains certain statements that may be deemed "forward-looking" statements. Forward looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects", "plans", "anticipates", "believes", "intends", "estimates", "projects", "potential" and similar expressions, or that events or conditions "will", "would", "may", "could" or "should" occur. Although [Viscount Mining Corp.](#) believes the expectations expressed in such forward-looking statements are based on reasonable assumptions, such statements are not guarantees of future performance and actual results may differ materially from those in forward looking statements. Forward looking statements are based on the beliefs, estimates and opinions of [Viscount Mining Corp.](#) management on the date the statements are made. Except as required by law, [Viscount Mining Corp.](#) undertakes no obligation to update these forward-looking statements in the event that management's beliefs, estimates or opinions, or other factors, should change.

---

Dieser Artikel stammt von [GoldSeiten.de](#)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/365129--Viscount-Mining-Drills-113.5-g-t-Silver-3.65-oz-t-over-9-meters-29.53-ft-At-Its-Silver-Cliff-Property-In-Colorado.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2024. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).