

Fission Hits Three New High-Grade Holes at R1515W

13.03.2018 | [GlobeNewswire](https://www.globenewswire.com)

KELOWNA, British Columbia, March 13, 2018 (GLOBE NEWSWIRE) -- FISSION URANIUM CORP. ("Fission" or "the Company") (TSX:FCU) (OTCQX:FCUUF) (FRANKFURT:2FU) is pleased to announce results from its final four Winter drill holes on the R1515W zone, at its PLS property, in Canada's Athabasca Basin region. All four holes have hit mineralization, with three intercepting high-grade radioactivity. The shallow depth, R1515W is the westernmost zone of the Triple R deposit and these latest results have expanded mineralization on lines 1560W, 1530W and 1500W. The holes include PLS18-574 (line 1560W), which intersected 42.0m of total composite mineralization, including 5.60m of total composite radioactivity >10,000 cps (with a peak of >65,535 cps).

Drilling Highlights

- R1515W zone expanded on lines 1560W, 1530W and 1500W
- Hole PLS18-574 (line 1560W)
 - 42.0m total composite mineralization over a 119.0m interval (between 128.0m – 247.0m), including
 - 5.60m of total composite >10,000 cps
- Hole PLS18-577 (line 1530W)
 - 47.5m total composite mineralization over a 181.5m interval (between 127.0m – 308.5m), including
 - 0.70m of total composite >10,000 cps

Ross McElroy, President, COO, and Chief Geologist for Fission, commented,

"All 8 holes that we've drilled on the R1515W zone this winter has hit mineralization and we've continued to see very encouraging results. This most recent batch of drill holes includes wide, high-grade mineralization and an expansion of the zone, both laterally and at depth on lines 1560W, 1530W and 1500W. The R1515W remains open and prospective for future drill programs."

Table 1: R1515W Zone

Hole ID	Zone	Grid Line	Collar		Hand-held Scintillometer Results On Mineralized Drillcore (>300 cps / >0.5%)			
			Az	Dip	From (m)	To (m)	Width (m)	CPS Peak Range
PLS18-574	R1515W	1560W	343	-79.0	128.0	128.5	0.5	380
					138.0	138.5	0.5	660
					154.0	155.0	1.0	470 - 650
					159.0	171.0	12.0	<300 - 800
					184.0	185.5	1.5	300 - 700
					188.0	202.5	14.5	310 - >65,535
					212.5	222.0	9.5	<300 - >65,535
					224.5	226.5	2.0	410 - 3100
PLS18-576	R1515W	1560W	325	-79.3	246.5	247.0	0.5	520
					162.0	163.0	1.0	320 - 1000
					184.5	188.5	4.0	390 - 6200
PLS18-577	R1515W	1530W	321	-84.6	127.0	127.5	0.5	480

	136.5	137.0	0.5	410
	153.5	155.5	2.0	<300 - 850
	158.0	175.5	17.5	<300 - 14500
	178.5	179.5	1.0	350 - 950
	183.0	183.5	0.5	2800
	204.5	207.5	3.0	<300 - 350
	216.5	217.5	1.0	350 - 400
	232.0	234.0	2.0	1400 - 6000
	243.0	247.0	4.0	<300 - 3000
	258.5	261.5	3.0	380 - 1400
	265.5	268.5	3.0	<300 - 970
	271.0	278.5	7.5	360 - 10500
	294.5	295.0	0.5	360
	307.0	308.5	1.5	540 - 640
PLS18-578A R1515W 1500W 324 -80.9	149.0	155.0	6.0	<300 - 2800
	162.5	174.0	11.5	<300 - 26500
	195.0	195.5	0.5	1300
	208.0	208.5	0.5	2700
	212.0	212.5	0.5	350

Natural gamma radiation in drill core that is reported in this news release was measured in counts per second (cps) using a hand held RS-121 Scintillometer manufactured by Radiation Solutions, which is capable of discriminating readings up to 65,535 cps. Natural gamma radiation in the drill hole survey that is reported in this news release was measured in counts per second (cps) using a Mount Sopris 2GHF-1000 Triple Gamma probe, which allows for more accurate measurements in high grade mineralized zones. The Triple Gamma probe is preferred in zones of high grade mineralization. The reader is cautioned that scintillometer readings are not directly or uniformly related to uranium grades of the rock sample measured, and should be used only as a preliminary indication of the presence of radioactive materials. The degree of radioactivity within the mineralized intervals is highly variable and associated with visible pitchblende mineralization. All intersections are down-hole. All depths reported of core interval measurements including radioactivity and mineralization intervals widths are not always representative of true thickness. The orientation of the mineralized intervals tend to follow that of lithologic contacts, and generally dip steeply to the south. Within the Triple R deposit, individual zone wireframe models constructed from assay data and used in the resource estimate indicate that all 5 zones have a complex geometry controlled by and parallel to steeply south-dipping lithological boundaries as well as a preferential sub-horizontal orientation.

PLS Mineralized Trend & Triple R Deposit Summary

Uranium mineralization of the Triple R deposit at PLS occurs within the Patterson Lake Conductive Corridor and has been traced by core drilling over ~3.18km of east-west strike length in five separated mineralized "zones" which collectively make up the Triple R deposit. From west to east, these zones are: R1515W, R840W, R00E, R780E and R1620E. Through successful exploration programs completed to date, Triple R has evolved into a large, near surface, basement hosted, structurally controlled high-grade uranium deposit. The discovery hole was announced on November 05, 2012 with drill hole PLS12-022, from what is now referred to as the R00E zone.

The R1515W, R840W and R00E zones make up the western region of the Triple R deposit and are located on land, where overburden thickness is generally between 55m to 100m. R1515W is the western-most of the zones and is drill defined to ~90m in strike-length, ~68m across strike and ~220m vertical and where mineralization remains open in several directions. R840W is located ~515m to the east along strike of R1515W and has a drill defined strike length of ~430m. R00E is located ~485m to the east along strike of R840W and is drill defined to ~115m in strike length. The R780E zone and R1620E zones make up the eastern region of the Triple R deposit. Both zones are located beneath Patterson Lake where water depth is generally less than six metres and overburden thickness is generally about 50m. R780E is located ~225m to the east of R00E and has a drill defined strike length of ~945m. R1620E is located ~210m along strike to the east of R780E, and is drill defined to ~185m in strike length.

Mineralization along the Patterson Lake Corridor trend remains prospective along strike in both the western

and eastern directions. Basement rocks within the mineralized trend are identified primarily as mafic volcanic rocks with varying degrees of alteration. Mineralization is both located within and associated with mafic volcanic intrusives with varying degrees of silicification, metasomatic mineral assemblages and hydrothermal graphite. The graphitic sequences are associated with the PL-3B basement Electro-Magnetic (EM) conductor.

Patterson Lake South Property

The 31,039 hectare PLS project is 100% owned and operated by [Fission Uranium Corp.](#) PLS is accessible by road with primary access from all-weather Highway 955, which runs north to the former Cluff Lake mine and passes through the nearby UEX-Areva Shea Creek discoveries located 50km to the north, currently under active exploration and development.

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and reviewed on behalf of the company by Ross McElroy, P.Geol., President and COO for [Fission Uranium Corp.](#), a qualified person.

About Fission Uranium Corp.

[Fission Uranium Corp.](#) is a Canadian based resource company specializing in the strategic exploration and development of the Patterson Lake South uranium property - host to the class-leading Triple R uranium deposit - and is headquartered in Kelowna, British Columbia. Fission's common shares are listed on the TSX Exchange under the symbol "FCU" and trade on the OTCQX marketplace in the U.S. under the symbol "FCUUF."

ON BEHALF OF THE BOARD

"Ross McElroy"

Ross McElroy, President and COO

Investor Relations

Rich Matthews

TF: 877-868-8140

rich@fissionuranium.com

www.fissionuranium.com

Cautionary Statement:

Certain information contained in this press release constitutes "forward-looking information", within the meaning of Canadian legislation. Generally, these forward-looking statements can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur", "be achieved" or "has the potential to". Forward looking statements contained in this press release may include statements regarding the future operating or financial performance of Fission and Fission Uranium which involve known and unknown risks and uncertainties which may not prove to be accurate. Actual results and outcomes may differ materially from what is expressed or forecasted in these forward-looking statements. Such statements are qualified in their entirety by the inherent risks and uncertainties surrounding future expectations. Among those factors which could cause actual results to differ materially are the following: market conditions and other risk factors listed from time to time in our reports filed with Canadian securities regulators on SEDAR at www.sedar.com. The forward-looking statements included in this press release are made as of the date of this press release and the Company and Fission Uranium disclaim any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as expressly required by applicable securities legislation.

Dieser Artikel stammt von [GoldSeiten.de](https://www.goldseiten.de)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/368400--Fission-Hits-Three-New-High-Grade-Holes-at-R1515W.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).