

Vision Lithium reports 1.85% Li₂O over 13.50 metres from channel sampling at the Sirmac Lithium Property

07.11.2018 | [CNW](#)

VAL-D'OR, QC, Nov. 7, 2018 /CNW Telbec/ - [Vision Lithium Inc.](#) (TSXV: VLI) (OTC-PINK: ABEPF) (the "Company" or "Vision") is pleased to announce the results from its 2018 exploration programs on its 100% owned Sirmac Lithium Property (the "Property" or "Sirmac"). The Sirmac property, acquired from the Company's largest shareholder, [Nemaska Lithium Inc.](#) (TSX: NMX) ("Nemaska"), is located approximately 200 kilometres south of Nemaska's Whabouchi Lithium Mine and 180 kilometres north-west of Chibougamau, Quebec. The Sirmac property consists of 194 mining claims covering approximately 10,350

"The newly discovered East Zone is located more than 5 km to the east of the Main Dike on the Sirmac property. The Company applied for stripping and drilling permits after it was discovered by our crews earlier this year. The work was completed in June and September with 22 channels totalling 149.5 metres in length and 112 samples, as well as 5 short drill holes to depths of up to 100 metres that were aimed at understanding the geometry of the dike system", said Yves Rougerie, President and CEO of Vision Lithium. "We saw significant grades and widths from the channel results. Channels are essentially surface drilling and I am very pleased with the level of mineralization in these channels. This is an exciting area that warrants additional follow up."

Channel sampling results include:

Channels	Zone	From (m)	To (m)	Length (m)	Li2O (%)
CL-18-R01	East Zone	1.0	14.5	13.50	1.85
CL-18-R11	East Zone	0.0	11.7	11.70	1.58
incl.		2.6	7.1	4.50	2.37
CL-18-R17	East Zone	0.7	15.3	14.60	1.23
incl.		10.9	15.3	4.40	2.24
CL-18-R07	East Zone	1.8	17.2	15.40	1.05
*CL-18-R18	East Zone	0.0	10.3	10.30	0.86
incl.		6.6	10.3	3.70	1.41
CL-18-R04	East Zone	1.5	7.5	6.00	1.51
CL-18-R15	East Zone	0.0	5.5	5.50	0.89
CL-18-R05	East Zone	4.2	8.7	4.50	1.43
CL-18-R02	East Zone	0.0	3.0	3.00	1.19
CL-18-R06	East Zone	1.5	4.5	3.00	1.34
CL-18-R22	East Zone	0.0	3.0	3.00	0.93
CL-18-R23	East Zone	4.5	7.5	3.00	0.79
CL-18-R24	East Zone	2.9	5.9	3.00	0.61
CL-18-R16	East Zone	0.5	3.4	2.90	1.12
CL-18-R10	East Zone	0.0	2.1	2.10	0.85
CL-18-R03	East Zone	3.0	4.5	1.50	0.63

*Note: CL-18-R18: includes 2.1m @ zero grade due to overburden covered intervals

Diamond drilling core assay results include:

DDH	Zone	From (m)	To (m)	Core Length (m)	Li2O (%)
CL-18-01	East Zone	0.5	4.7	4.2	0.74
Incl.	East Zone	0.5	1.9	1.4	1.51
*CL-18-01	East Zone	0.0	0.5	0.5	NCR
CL-18-02	East Zone	0.8	3.0	2.20	0.63
*CL-18-02	East Zone	0.0	0.8	0.8	NCR
CL-18-03	East Zone	34.3	36.8	2.5	0.84
CL-18-04	East Zone	94.4	99.9	5.5	0.97
CL-18-05	East Zone	42.2	46.7	4.5	0.55
CL-18-05	East Zone	101.9	107.5	5.6	1.36

Note: Both CL-18-01 and CL-18-02 were drilled on mineralized outcrop but the top section was not retrieved for logging and sampling when casing was drilled.

"The East zone is made up of several lithium bearing intrusive dikes which trend northward and dip to the east. The early drilling was targeted immediately below the observable dikes to establish their direction and dip and was done prior to channel sampling. The assay results suggest the East zone has the potential to develop into a significant lithium occurrence that could be advanced in tandem with the Main Dike and possibly other lithium bearing zones on the property. We have only tested a 100metre strike length of the East zone dike swarm and it remains open in all directions. We look forward to additional ground work and drilling on the East zone in the upcoming programs. To that end we are planning a minimum of 5,000 metre drill program on multiple rich targets on the Sirmac property. "

The Main Dike zone was not drilled during the summer program. Instead, field work followed up on the successful late winter drilling program as well as different mapping and geophysical surveys completed to better understand the geological setting of the intrusive dike system ahead of future drill programs. The drilling program, six years after the previous program, once again demonstrated the potential of the Main Dike to host an economic resource.

Drill core assay results from the Main Dike included:

DDH	Zone	From (m)	To (m)	Core Length (m)	Li2O (%)	Ta2O5 (ppm)
SIR-12-26-Twin	Dike no. 5	2.4	22.2	19.8	1.62	59.7
SIR-12-45-Twin	Dike no. 5	13.7	19.7	6.0	1.22	63.6
SIR-12-49-Twin	Dike no. 5	30.1	42.1	12.0	1.22	79.2
SIR-12-61-Twin	Dike no. 5	4.7	10.7	6.0	1.30	47.2
SIR-12-61-Twin	Dike no. 5	25.9	42.0	16.1	0.25	114.3
SIR-12-63-Twin	Dike no. 5	13.6	22.6	9.0	1.40	38.8
SIR-18-02	Dike no. 5	1.6	24.0	22.4	1.70	57.4
SIR-18-04	Dike no. 5	22.5	37.2	14.7	1.42	74.1
SIR-18-05	Dike no. 5	3.6	5.1	1.5	1.43	16.0
SIR-18-21	Dike no. 5	22.4	24.8	2.4	0.57	41.1

A number of large dikes are observed in the area of the Main Dike, several of which had been sampled by previous operators for lithium alone. Vision Lithium resampled many of these dikes as well as newly discovered dikes in the general vicinity of the Main Dike and assayed for lithium and 21 other elements. Although no significant lithium assays were returned, the minor elements assay results indicate that these dikes are evolved Lithium Cesium Tantalum (LCT) Pegmatite dikes which have the potential to host significant lithium mineralization. Further work is required on all these dikes, some of which are hundreds of metres long and tens of metres wide.

Metallurgical tests are underway at SGS Lakefield ("SGS"). Outcrop samples and drill core samples from the winter drilling program as well as from the Nemaska drilling program of 2012 were sent to SGS for metallurgical tests in late spring and early summer. The mandate calls for SGS to produce a Li2O concentrate of the highest grade possible. Historical tests achieved concentrate grades above 6% and the Company expects the same results from the current study. Once the results of the concentrate grade are confirmed, Vision Lithium will then mandate SGS to make a battery grade lithium hydroxide and lithium carbonate. First results from the tests are expected shortly.

Location of East zone drill holes:

DDH	Zone	Az	Dip	Length (m)	UTM NAD83 East	UTM NAD83 North	Elevation
CL-18-01	East	360	-90	51	471,178	5,610,494	423
CL-18-02	East	360	-90	30	471,163	5,610,502	423
CL-18-03	East	250	-45	84	471,281	5,610,528	422
CL-18-04	East	300	-45	201	471,289	5,610,528	421
CL-18-05	East	295	-45	117	471,299	5,610,495	419

The information of scientific or technical information in this release has been reviewed and approved by Yves Rougerie, P.GEO., President and CEO of the Company. Mr. Rougerie is a Qualified Person as defined by National Instrument 43-101.

All rock samples were sent for preparation and analysis to the ALS Chemex laboratory in Val-d'Or, Quebec. Core samples were sawed in half, with one half being bagged and tagged using barcodes. The samples are typically 1.5 metre samples. The samples were transported to Val d'Or by secure transport and delivered to ALS Chemex. [Vision Lithium Inc.](#) applies a rigorous quality control protocol, including the insertion of certified analytical standards, duplicates and blanks and statistical follow-up of the results.

About Vision Lithium Inc.

[Vision Lithium Inc.](#) is a junior exploration company focused on exploring and developing high quality battery mineral assets including lithium and copper in safe jurisdictions, primarily Canada. The Company is led by skilled and qualified mineral exploration experts and business professionals with a deep understanding of the lithium battery materials market which is driven by lithium ion batteries. Vision Lithium is committed to discovering new world class assets and bringing these assets to production, starting with its flagship projects the Sirmac Lithium property and the Dome Lemieux copper property, both located in Quebec, Canada. Nemaska Lithium is the largest shareholder of Vision Lithium.

For further information on the Company, please visit our website at www.visionlithium.com or contact us at info@visionlithium.com.

Victor Cantore, Executive Chairman, Tel: +1 514 831 3809, Email: vcantore@visionlithium.com; Yves Rougerie, President and CEO, Tel: +1 819 874 6200, Email: yrougerie@visionlithium.com
 Neither the TSXV nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release.

Dieser Artikel stammt von [GoldSeiten.de](#)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/395261--Vision-Lithium-reports-1.85Prozent-Li2o-over-13.50-metres-from-channel-sampling-at-the-Sirmac-Lithium-Property.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors entspricht generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder Indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
 Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).