First Vanadium Corp. Files NI 43-101 Technical Report for the Carlin Vanadium Project, Nevada

10.04.2019 | Newsfile

Vancouver, April 10, 2019 - <u>First Vanadium Corp.</u> (TSXV: FVAN) (OTCQX: FVANF) (FSE: 1PY) ("First Vanadium" or the "Company") is pleased to announce that a National Instrument 43-101 Technical Report titled "NI 43-101 Technical Report, Carlin Vanadium Project, Carlin, Nevada" has been filed on SEDAR (www.sedar.com).

The report documents a maiden mineral resource estimate (Table 1) completed by SRK Consulting (U.S.), Inc. ("SRK") on the Carlin Vanadium Deposit located 6 miles south of Elko, Nevada, as initially reported by way of the Company's news release dated February 27, 2019.

Table 1. Carlin Vanadium Mineral Resource Statement at 0.3% V₂O₅ Cut-off grade (CoG) (Effective January 31, 2019)

Classification	CoG (% \
Indicated	0.3
Inferred	0.3

- Mineral Resources are not Mineral Reserves. Mineral resources which are not mineral reserves do not have demonstrated economic viability. There has been insufficient exploration to define the Inferred Resources tabulated above as an Indicated or Measured Mineral Resource. There is no guarantee that any part of the mineral resources discussed herein will be converted into a mineral reserve in the future.
- The Mineral Resources in this estimate were calculated using the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), CIM Standards on Mineral Resources and Reserves, Definitions and Guidelines prepared by the CIM Standing Committee on Reserve Definitions and adopted by CIM Council.
- 3. The mineral resources listed in Table 1 are confined within a Whittle Pit Shell with a 45⁰ pit slope and a strip ratio of 2.6:1 waste to ore including all categories. The following parameters were used to construct the Whittle pit shell and to derive the mineral resource cut-off grade of 0.3% V2O5: Metal prices: US\$12.50/lb V2O5 flake, Mining: US\$2.50/t, Processing: US\$52.50/t, G&A: US\$1.50/t, Product Transport: \$2.00/t, Process Recovery: 85%.
- 4. Contained pounds may not add due to rounding.

This is the first time Indicated mineral resources have been established for the deposit. The resource as defined within the pit shell has a defined strike length of approximately 1,830 metres (6,000 ft) and width averaging 610 metres (2,000 ft), starting at surface to depths of 120 metres (395 ft). The average thickness of the main mineralized zone is 35 metres (115 ft).

The Independent Technical Report was authored by Dr. Bart Stryhas, PhD, CPG., and Ms. Brooke Miller Clarkson, CPG, of SRK and Mr. Frank Wright, P.Eng., of F. Wright Consulting Inc. Messrs. Stryhas and Wright and Ms. Clarkson are Qualified Persons as defined by National Instrument 43-101 - Standards of Disclosure for Mineral Projects of the Canadian Securities Administrators ("NI 43-101"). The report is filed on SEDAR and is available on First Vanadium's website (click here to view full report).

Sensitivity Table

Sensitivity analysis of the Carlin Vanadium Project's NI 43-101 mineral resource estimate for V2O5 at various cutoff grades (CoG):

Classification

CoG (% \

Indicated*1

Inferred^{*1}

*1 Mineral Resources are not Mineral Reserves. Mineral resources which are not mineral reserves do not have demonstrated economic viability. There has been insufficient exploration to define the Inferred Resources tabulated above as an Indicated or Measured Mineral Resource. There is no guarantee that any part of the mineral resources discussed herein will be converted into a mineral reserve in the future.

 $^{\ast 2}$ The Base Case reported resources are highlighted in bold and have been constrained within a US\$12.50/lb V2O5 optimized pit shell described above.

Technical disclosure in this news release has been reviewed and approved by Paul Cowley, PGeo., a Qualified Person as defined by National Instrument 43-101, and President and CEO of the Company.

About First Vanadium Corp.

First Vanadium has an option to earn a 100% interest in the Carlin Vanadium Project, located in Elko County, 6 miles south of a major rail hub and mining community of Carlin, Nevada, a major highway (I-80) and power. The Carlin Vanadium Project hosts the Carlin Vanadium deposit which is a black shale-hosted flat to shallow dipping vanadium resource at shallow depths.

ON BEHALF OF <u>First Vanadium Corp.</u> per: "Paul Cowley" CEO & President (778) 655-4311 pcowley@firstvanadium.com www.firstvanadium.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Forward-looking information

Certain statements in this news release constitute "forward-looking" statements. These statements relate to future events or the Company's future performance. All such statements involve substantial known and unknown risks, uncertainties and other factors which may cause the actual results to vary from those expressed or implied by such forward-looking statements. Forward-looking statements involve significant risks and uncertainties, they should not be read as guarantees of future performance or results, and they will not necessarily be accurate indications of whether or not such results will be achieved. Actual results could differ materially from those anticipated due to a number of factors and risks. Although the forward-looking statements contained in this news release are based upon what management of the Company believes are reasonable assumptions on the date of this news release, the Company cannot assure investors that actual results will be consistent with these forward-looking statements. The forward-looking statements contained in this press release are made as of the date hereof and the Company disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, future events or

0.6 0.7 0.8 0.2 0.3^{*2} 0.4

0.5 0.6 0.7 0.8

0.2

otherwise, except as required under applicable securities regulations.

To view the source version of this press release, please visit https://www.newsfilecorp.com/release/44000

Dieser Artikel stammt von <u>GoldSeiten.de</u> Die URL für diesen Artikel lautet: <u>https://www.goldseiten.de/artikel/410419--First-Vanadium-Corp.-Files-NI-43-101-Technical-Report-for-the-Carlin-Vanadium-Project-Nevada.html</u>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <u>AGB/Disclaimer</u>!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2024. Es gelten unsere AGB und Datenschutzrichtlinen.