

# IsoEnergy Drills 48.8% U<sub>3</sub>O<sub>8</sub> over 5.0m in Southern Step-out Drill Hole LE20-64

13.10.2020 | [CNW](#)

Drill Program Expanded to Test High-Grade Extensions of "J" Fault Open to the South and to the East

VANCOUVER, Oct. 13, 2020 - [IsoEnergy Ltd.](#) ("IsoEnergy" or the "Company") (TSXV: ISO) (OTCQX: ISENF) is pleased to announce additional chemical assays from the summer drilling program at the Hurricane zone. The Hurricane zone is a recent discovery of high-grade uranium mineralization on the Company's 100% owned Larocque East property (the "Property") in the Eastern Athabasca Basin of Saskatchewan (Figure 1).

## Highlights:

- Chemical assays from drill hole LE20-64 returned 5.0m of 48.8% U<sub>3</sub>O<sub>8</sub>, including 4.0m of 57.5% U<sub>3</sub>O<sub>8</sub>
- Chemical assays from drill hole LE20-62 returned 4.5m of 6.2% U<sub>3</sub>O<sub>8</sub>, including 2.5m of 11.1% U<sub>3</sub>O<sub>8</sub>
- Chemical assays from drill hole LE20-57 returned 10.0m of 11.7% U<sub>3</sub>O<sub>8</sub>, including 2.5m of 46.0% U<sub>3</sub>O<sub>8</sub>
- Mineralization on this north-south section (4435E) now measures at least 48m in width and is open to the south
- Drilling has now expanded the zone of intense mineralization over 30m to the south, almost to the "J" fault
- The "J" fault is parallel to the other main mineralized "H" and "I" faults, and is wide open to the east for at least 200m
- Drilling operations have now resumed after a scheduled two-week break
- The program has been expanded to 24 drill holes (from 20) due to the success to date; 10 holes remain to be drilled

Craig Parry, Chief Executive Officer commented: "I'm very impressed by the efforts of our Technical team and the results delivered. The grades and thicknesses of these intersections confirm that IsoEnergy is currently drilling one of the most significant new Eastern Athabasca uranium discoveries in many years."

Steve Blower, Vice President of Exploration commented: "The chemical assays for drill holes LE20-57, 62 and 64 confirm excellent potential to expand high-grade mineralization to the south at the Hurricane zone. Now that we've resumed our program after the break, I'm looking forward to the remaining drilling results as we focus our efforts on the southern extension area."

## LE20-64 Assays

Drill hole LE20-64 (Figures 2 and 3) intersected an upper 3.5m thick layer of weak uranium mineralization from 316.5-324.0m that averages 0.3% U<sub>3</sub>O<sub>8</sub>. This was followed by a 5.0m thick interval of strong mineralization from 324.0-329.0m that averages 48.8% U<sub>3</sub>O<sub>8</sub>. Included in this interval is 4.0m of intensely radioactive mineralization greater than 30,000 CPS (RS-125) that averages 57.5% U<sub>3</sub>O<sub>8</sub>. Mineralization on this north-south section (4435E) now measures at least 48m in width, and is open to the south. As a result, the summer drilling has now expanded the zone of intense mineralization over 30m to the south, almost to the "J" fault. The "J" fault is parallel to the other main mineralized "H" and "I" faults, and is wide open to the east for at least 200m. Table 1 summarizes the summer 2020 drilling results to date.

## LE20-62 Assays

Drill hole LE20-62 (Figures 2 and 3) intersected an upper 2.5m thick interval of weak uranium mineralization from 314.0-321.0m that averages 0.2% U<sub>3</sub>O<sub>8</sub>, followed by a 4.5m thick interval of strong mineralization from 321.0-325.5m that averages 6.2% U<sub>3</sub>O<sub>8</sub>. Included in this lower interval is 2.5m of intensely radioactive mineralization that averages 11.1% U<sub>3</sub>O<sub>8</sub>. A 0.5m sub-interval was off-scale on the RS-125 hand-held scintillometer averages 29.0% U<sub>3</sub>O<sub>8</sub>. As with all drill holes to date at the Hurricane zone, the mineralization is located at the sub-Athabasca unconformity.

## LE20-57 Assays

Completed on the same 4435E section as LE20-62 and 64 (Figures 2 and 3), drill hole LE20-57 intersected 10.0m of uranium mineralization.

mineralization from 343.8-353.8m that averages 11.7%  $U_3O_8$  over 10.0m. Included in this interval is 2.5m of very strong radioactive mineralization that averages 46.0%  $U_3O_8$ . The mineralization is located at the sub-Athabasca unconformity, intersected at approximately 349.0m.

#### Other Drill Holes

Assay results have also been received for drill holes LE20-58C1, 59, 60, 61 and 63A. All of these drill holes were completed on the eastern side of the Hurricane zone and intersected weak uranium mineralization. The assays are summarized in Table 1. Drill hole locations are shown on Figure 2.

Three additional drill holes (LE20-65, 66 and 67) were completed before the scheduled break. Two of these (65 and 66) were completed by Drill 2 on the eastern side of the Hurricane zone. Drill hole LE20-66 intersected one metre of weak uranium mineralization, while LE20-65 was unmineralized. The third drill hole, LE20-67, was completed on the north end of section 24 on the western side of the Hurricane zone, 17m northeast of strongly mineralized drill hole LE20-34. LE20-67 intersected weak uranium mineralization at the sub-Athabasca unconformity. Chemical assays for these drill holes are pending.

#### Next Steps

Expansion of the western Hurricane zone mineralization to the south will be the primary focus of the remaining 10 holes in the 2020 drilling program. Samples collected from the drilling completed to date are periodically shipped to the analytical laboratory in Sudbury, Ontario. Chemical assay results generally follow within three to four weeks of the shipping dates.

#### The Larocque East Property and the Hurricane Zone

The 100% owned Larocque East property consists of 31 mineral claims totaling 15,878ha that are not encumbered by any mortgages or other interests. Larocque East is immediately adjacent to the north end of IsoEnergy's Geiger property and is 35km north of Orano Canada's McClean Lake uranium mine and mill.

Along with other target areas, the Property covers a 15-kilometre-long northeast extension of the Larocque Lake conductive zone, a trend of graphitic metasedimentary basement rocks that is associated with significant uranium mineralization at the Hurricane zone, and in several occurrences on Cameco Corp. and Orano Canada Inc.'s neighbouring property to the southwest of the Property. The Hurricane zone was discovered in July 2018 and was followed up with 29 drill holes in 2019 and an additional 10 holes to date in 2020. Dimensions are currently 575m along-strike, 40m wide, and up to 11m thick. The zone is open for exploration along-strike to the east and on most sections. Mineralization is polymetallic and commonly straddles the sub-Athabasca unconformity 320 m below surface. The best intersection to date is 33.9%  $U_3O_8$  over 8.5m in drill hole LE20-34. Drilling on the Property's Larocque Lake zone on the neighbouring property to the southwest has returned historical intersections of up to 33.9%  $U_3O_8$  over 7.0m in drill hole Q22-040. Like the nearby Geiger property, Larocque East is located adjacent to the Wollaston-Isère transition zone - a major crustal suture related to most of the uranium deposits in the eastern Athabasca Basin. Important sandstone cover on the Property is thin, ranging between 140m and 330m in previous drilling.

#### Table 1 &#8211; Summer 2020 Drilling Program Results

Hole-ID	From (m)	To (m)	Length (m)	Radioactivity <sup>1,2</sup> (CPS)	Chemical Assays U <sub>3</sub> O <sub>8</sub> (%) Ni (%)	Orientation (Azm/Dip)	Location
LE20-54 <sup>3,4</sup>	329.5	338.5	9.0	>500	12.8 3.9	180/-79	Sect 4510E
incl.	333.0	337.0	4.0	>30,000	27.1 5.2		
incl.	334.0	334.5	0.5	Off-scale <sup>5</sup>	52.5 1.6		
LE20-55 <sup>3</sup>	No significant mineralization					180/-70	Sect 4785E
LE20-56 <sup>3</sup>	351.0	358.5	7.5	>500	0.1 0.1	180/-70	Sect 4660E
LE20-57 <sup>3</sup>	343.8	353.8	10.0	>500	11.7 0.3	217/-70	Sect 4435E
Incl.	347.3	349.8	2.5	>40,000	46.0 1.0		
Incl.	347.8	348.3	0.5	Off-scale <sup>5</sup>	65.9 0.7		
LE20-58	Abandoned before target					180/-69	Sect 4785E
LE20-58C <sup>13,6</sup>	144.0	146.5	2.5	>500	0.2 0.1	180/-71	Sect 4785E
LE20-59 <sup>3</sup>	342.0	347.0	5.0	>500	0.2 0.2	112/-69	Sect 4610E
Incl.	345.0	345.5	0.5	>5,000	0.9 0.2		
LE20-60	No significant mineralization					000/-90	Sect 4660E
LE20-61 <sup>3</sup>	313.0	322.0	9.0	>500	0.3 0.0	000/-90	Sect 4660E
incl.	321.5	322.0	0.5	>10,000	1.4 0.2		
LE20-62 <sup>3</sup>	314.0	316.5	2.5	>500	0.2 0.0	000/-90	Sect 4435E
and	321.0	325.5	4.5	>500	6.2 0.5		
incl.	323.0	325.5	2.5	>30,000	11.1 0.3		
incl.	324.5	325.0	0.5	Off-scale <sup>5</sup>	29.0 0.3		
LE20-63A <sup>3</sup>	No significant mineralization					180/-85	Sect 4660E
LE20-64 <sup>3</sup>	316.5	320.0	3.5	>500	0.3 0.1	000/-90	Sect 4435E
and	324.0	329.0	5.0	>500	48.8 1.1		
incl.	324.5	328.5	4.0	>30,000	57.5 1.3		
LE20-65	No significant mineralization					000/-90	Sect 4610E
LE20-66	323.0	324.0	1.0	>500	Pending	000/-90	Sect 4785E
LE20-67	327.5	329.5	2.0	>500	Pending	000/-90	Sect 4435E

Notes:	1. Radioactivity is total gamma from drill core measured with an RS-125 hand-held spectrometer
	2. Measurements of total gamma on drill core are an indication of uranium content, but may not correlate with chemical assays
	3. Radioactivity previously disclosed
	4. Radioactivity and chemical assays previously disclosed
	5. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 1	6. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 2	7. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 3	8. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 4	9. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 5	10. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 6	11. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 7	12. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 8	13. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 9	14. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 10	15. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 11	16. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 12	17. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 13	18. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 14	19. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 15	20. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 16	21. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 17	22. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 18	23. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 19	24. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 20	25. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 21	26. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 22	27. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 23	28. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 24	29. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 25	30. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 26	31. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 27	32. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 28	33. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 29	34. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 30	35. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 31	36. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 32	37. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 33	38. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 34	39. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 35	40. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 36	41. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 37	42. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 38	43. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 39	44. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 40	45. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 41	46. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 42	47. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 43	48. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 44	49. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 45	50. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 46	51. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 47	52. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 48	53. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 49	54. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 50	55. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 51	56. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 52	57. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 53	58. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 54	59. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 55	60. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 56	61. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 57	62. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 58	63. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 59	64. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 60	65. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 61	66. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 62	67. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 63	68. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 64	69. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 65	70. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 66	71. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 67	72. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 68	73. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 69	74. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 70	75. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 71	76. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 72	77. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 73	78. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 74	79. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 75	80. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 76	81. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 77	82. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 78	83. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 79	84. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 80	85. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 81	86. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 82	87. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 83	88. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 84	89. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 85	90. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 86	91. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 87	92. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 88	93. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 89	94. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 90	95. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 91	96. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 92	97. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 93	98. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 94	99. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer
Figure 95	100. Off-scale radioactivity is defined as exceeding 65,536 cps, the maximum measurable by an RS-125 spectrometer

Figure 2 &amp;#8211; Hurricane Zone Drill Hole Location Map

Figure 3 &amp;#8211; Vertical Cross-Section 4435E (Drill Holes LE20-57, 62 and 64)

### Qualified Person Statement

The scientific and technical information contained in this news release was prepared by Andy Carmichael, P.Geo., IsoEnergy's Senior Geologist, who is a "Qualified Person" (as defined in NI 43-101 &#8211; Standards of Disclosure for Mineral Projects). Mr. Carmichael has verified the data disclosed. All radioactivity measurements reported herein are total gamma from an RS-125 hand-held spectrometer. As mineralized drill holes at the Hurricane zone are oriented very steeply (-70 to -90 degrees) into a zone of mineralization that is interpreted to be horizontal, the true thickness of the intersections is expected to be greater than or equal to 90% of the core lengths. This news release refers to properties other than those in which the Company has an interest. Mineralization on those other properties is not necessarily indicative of mineralization on the Company's properties. All chemical analyses are completed for the Company by SRC Geoanalytical Laboratories in Saskatoon, SK. For additional information regarding the Company's Larocque East Project, including its quality assurance and quality control procedures, please see the Technical Report dated effective May 15, 2019, on the Company's profile at [www.sedar.com](http://www.sedar.com).

### About IsoEnergy

IsoEnergy is a well-funded uranium exploration and development company with a portfolio of prospective projects in the eastern Athabasca Basin in Saskatchewan, Canada. The Company recently discovered the high-grade Hurricane Zone of uranium mineralization on its 100% owned Larocque East property in the Eastern Athabasca Basin. IsoEnergy is led by a Board and Management team with a track record of success in uranium exploration, development and operations. The Company was founded and is supported by the team at its major shareholder, [NexGen Energy Ltd.](http://www.nexgenenergy.com)

Neither the TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

This news release shall not constitute an offer to sell or a solicitation of any offer to buy any securities, nor shall there be any sale of any securities in any jurisdiction in which such offer, solicitation or sale would be unlawful. The securities referenced herein have not been, nor will they be, registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act"), and such securities may not be offered or sold within the United States absent registration under the U.S. Securities Act or an applicable exemption from the registration requirements thereunder.

### Forward-Looking Information

The information contained herein contains "forward-looking statements" within the meaning of the United

Forward-looking information and statements also involve known and unknown risks and uncertainties and other factors, which may cause actual events or results in future periods to differ materially from any projections of future events or results expressed or implied by such forward-looking information or statements, including, among others: negative operating cash flow and dependence on third party financing, uncertainty of additional financing, no known mineral reserves or resources, the limited operating history of the Company, the influence of a large shareholder, alternative sources of energy and uranium prices, acquisition title and consultation issues, reliance on key management and other personnel, actual results of exploration activities being different than anticipated, changes in exploration programs based upon results, availability of third party contractors, availability of equipment and supplies, failure of equipment to operate as anticipated; accidents, effects of weather and other natural phenomena and other risks associated with the mineral exploration industry, environmental risks, changes in laws and regulations, community relations and delays in obtaining governmental or other approvals.

SOURCE IsoEnergy Ltd.