

First Energy Metals Drills 1.47 Percent Lithium Oxide Over 4 Meters at Augustus Lithium Property

17.08.2021 | [CNW](#)

VANCOUVER, Aug. 17, 2021 - [First Energy Metals Ltd.](#) (CSE: FE) (OTCQB: FEMFF) (WKN: A2JC89) ("First Energy" or the "Company") is pleased to announce results of drill hole LC21-05 at its Augustus Lithium Property in Quebec, Canada. Drill hole LC21-05 was drilled at the Canadian Lithium Prospects, at location: 284773E, 5368325N (NAD 1983 UTM Zone 18N), Azimuth 39.6 degrees, Dip 41.7 degrees with a total NQ size core drilling depth of 168m.

Drill Hole LC21-05 Highlights (see Table 1 for details)

- A four-meter-wide zone with 1.47 percent (%) lithium oxide (Li₂O) at 11.5 metres (m) depth.
- A three-meter-wide zone with 0.56% Li₂O at 32m depth, including one-meter-wide zone with 1.14% Li₂O at 33m depth.

Note: All intersections reported are based on drilled width and have not been converted to the true width.

The drill program is based on the historical exploration data and the Company's surface trenching and sampling program which is currently underway. Several historical drill hole collars were also located on the Property which helped in location and orientation of drill holes for the current program. The Drill program commenced on April 5th at the Property by Forage Hebert Inc. Drilling of Amos, Quebec who is contracted for the drill program. A B-20 drill rig is deployed for this work which has a capacity to drill up to 1,000-meter-deep hole. A core shack is built at the village of St-Dominique du Rosaire located about 50km from the Property for drill core logging, sample preparation and storage. The drill core is logged and sampled at the core shack using a rock saw. For quality control and quality assurance (QA/QC), field duplicates and blanks are being inserted at an industry standard interval.

The samples were bagged and tagged using best practices and were delivered to Activation Laboratories ("ACTLABS"), Ancaster, Ontario for sample preparation and analyses using laboratories code Ultratrace 7 and sodium peroxide fusion (Na₂O₂) as summarized below. ACTLABS is an independent commercial, accredited ISO Certified Laboratory.

Code Ultratrace 7 - Peroxide Fusion - ICP and ICP/MS

Samples are fused with sodium peroxide in a Zirconium crucible. The fused sample is acidified with concentrated nitric and hydrochloric acids. The resulting solutions are diluted and then measured by ICP-OES and ICP-MS. All metals are solubilized.

ICP-MS

Fused samples are diluted and analyzed by Agilent 7900 ICP-MS. Calibration is performed using five synthetic calibration standards. A set of (10-20) fused certified reference material is run with every batch of samples for calibration and quality control. Fused duplicates are run every 10 samples.

ICP-OES

Samples are analyzed with a minimum of 10 certified reference materials for the required analytes, all prepared by sodium peroxide fusion. Every 10th sample is prepared and analyzed in duplicate; a blank is prepared every 30 samples and analyzed. Samples are analyzed using a Varian 735ES ICP and internal standards are used as part of the standard operating procedure. Source: <https://actlabs.com/geochemistry/litho-geochemistry-and-whole-rock-analysis/peroxide-total-fusion/>

Afzaal Pirzada, P.Geol., Geological Consultant of the Company, and a "Qualified Person" for the purposes of National Instrument 43-101 - Standards of Disclosure for Mineral Projects, has reviewed and approved the scientific and technical information contained in this news release.

About the Augustus Lithium Property

The Company owns 100% interest in Augustus Lithium Property in Landrienne & Lacorne-Townships, Quebec, Canada. The Property consists of 271 mining claims covering a total area of 14,155 hectares located approximately 40 kilometres northwest of the town of Val d'Or on map sheets 32C/05 and 32D08. The Property claims are spread in several claim blocks optioned in 2021 from different vendors. The Company has prepared a work plan on the property which includes diamond drilling, metallurgical testwork to

produce battery grade lithium carbonate, and resource estimation. The Company has compiled historical drill hole data on the Property for 74 historical dill holes with a cumulative drilling of 12,123.14 m, out which 6,024 m drilling was completed on the lithium prospects during 1950s. Several drill hole results indicated intersections over 1% lithium oxide."

About First [Energy Metals Ltd.](#)

First Energy Metals is a Canadian mineral exploration company with a primary focus of acquiring a multicommodity mineral property portfolio. Its goal is to identify, acquire and explore North American mineral prospects in the technology metals, precious metal, and base metal sector.

The company's strategy is to:

- Acquire and advance projects through prospecting and early-stage exploration;
- Source joint venture partners to finance future exploration and project development;
- Create shareholder value through exploration success.

First Energy will continue to add to its multicommodity portfolio through organic acquisitions of new projects and opportunities with the intention of adding value and projects over time.

ON BEHALF OF THE BOARD OF
[First Energy Metals Ltd.](#)

"Gurminder Sangha"
Gurminder Sangha
President & Chief Executive Officer

Neither the Canadian Securities Exchange (CSE) nor its Regulation Services Provider accepts responsibility for the adequacy or accuracy of this news release and has neither approved nor disapproved the contents of this news release.

Forward-looking Information

Except for the statements of historical fact, this news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates and projections as at the date of this news release. "Forward-looking information" in this news release includes information about the Company's information concerning the intentions, plans and future actions of the parties to the transactions described herein and the terms thereon.

The forward-looking information in this news release reflects the current expectations, assumptions and/or beliefs of the Company based on information currently available to the Company. In connection with the forward-looking information contained in this news release, the Company has made assumptions about the Company's ability to obtain required approvals. The Company has also assumed that no significant events occur outside of the Company's normal course of business. Although the Company believes that the assumptions inherent in the forward-looking information are reasonable, forward-looking information is not a guarantee of future performance and accordingly undue reliance should not be put on such information due to the inherent uncertainty therein.

Table 1: Drill Hole LC21-05 Sample assays highlights

Analyte Symbol	Li	Li2O
Unit Symbol	%	%
Detection Limit	From To	Total 0.01

Analysis Method	m	m	m	FUS-Na2O2	
95969	11.5	12	0.5	0.44	0.95
95971	12	12.5	0.5	1.01	2.17
95972	12.5	13.5	1	0.63	1.35
95973	13.5	14.5	1	0.55	1.18
95974	14.5	15.5	1	0.83	1.78
Total width / Average grade	11.5	15.5	4.0		1.47
95976	15.5	16	0.5	0.02	0.04
95982	24	25	1	0.04	0.09
95983	25	26	1	0.04	0.09
95984	26	27	1	0.03	0.06
95985	27	28	1	0.06	0.13
95986	28	29	1	0.05	0.11
Total width / Average grade	27	29	2.0		0.12
95987	29	30	1	0.02	0.04
95988	30	31	1	0.03	0.06
95989	31	32	1	0.03	0.06
95991	32	33	1	0.06	0.13
95992 (including)	33	34	1	0.53	1.14
95993	34	35	1	0.19	0.41
Total width / Average grade	32	35	3		0.56
95994	35	36	1	0.03	0.06
95995	36	37	1	0.06	0.13
95996	37	38	1	0.04	0.09
95753	43	44	1	0.03	0.06
95754	44	45	1	0.05	0.11
95756	45	46	1	0.04	0.09
95777	63	64	1	0.02	0.04
95781	66	67	1	0.19	0.41
95782	67	68	1	0.01	0.02

95783	68	69	1	0.02	0.04
95784	69	69.5	0.5	0.01	0.02
95785	84	85	1	0.07	0.15

Note: A standard conversion factor of 2.15 was used to report Li to Li₂O values
All intersections reported are based on drilled width and have not been converted to the true width.

SOURCE [First Energy Metals Ltd.](#)

Contact

For further information, please contact the Company at: gsangha@firstenergymetals.com or (604) 375-6005

Dieser Artikel stammt von [GoldSeiten.de](https://www.goldseiten.de)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/506343--First-Energy-Metals-Drills-1.47-Percent-Lithium-Oxide-Over-4-Meters-at-Augustus-Lithium-Property.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2021. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).