

Rokmaster Acquires 5,326 ha of Mineral Claims Targeting Au-Ag-Pb-Zn-Cu Mineralization at Its New Revel North Property

15.11.2021 | [CNW](#)

VANCOUVER, Nov. 15, 2021 - [Rokmaster Resources Corp.](#) (TSXV: RKR) (OTCQB: RKMSF) (FSE: 1RR1) ("Rokmaster" or "Company") is pleased to announce that it has substantially expanded its mineral claim holdings, north of the main Revel North Project area. Newly acquired mineral tenures Downie (3,173 ha), Keystone (1,992 ha), and North (161 ha) claims overlap portions of the historic Keystone, Montgomery, Upper Montgomery, KJ and Ice occurrences. The Keystone, Downie and North claims lie 12 to 20 km to the northwest of the existing Revel Ridge deposits (Figure 1).

Historic Mineral Occurrences, KJ - Ice and Keystone Areas

The discovery in 1973 of the Goldstream Deposit (unclassified historical resource of 3.18 million tonnes of 4.49% Cu, 3.18 g/t Ag and 20 g/t Ag by Noranda Exploration Company*) located 4.5 km to the north of the KJ - Ice occurrences, accelerated exploration in this area (Campbell and Lewis, 1991: BCDM AR 20,997, 84 pages). *This resource is not NI43-101 compliant. The Company's Qualified Person ("QP") has not done sufficient work to classify this historic estimate as a current mineral resource and as such should not be relied upon.

The Keystone, KJ - Ice and Goldstream areas share similar stratigraphic relationships. Goldstream ("Besshi" style VMS) hosted mineralization is associated with the contact between mafic volcanic - phyllite units, and locally thin limestones of the Index Formation. In stark contrast to the Goldstream area, and to many other mineral occurrences within this belt, selected occurrences within the Ice, KJ and Keystone areas all contained elevated gold.

Downie Claims (Figure 1 and Table 1. Historic KJ & Ice Occurrences)

Mineralization at the historic KJ, Ice, Montgomery and Upper Montgomery occurrences are all largely overlain by the Company's Downie Claims. At these occurrences, mineralization occurs as a massive to semi-massive sulphide, pyrite-pyrrhotite-sulphide and minor chalcopyrite replacements of limestone and as semi-conformable sulphide zones at chloritic phyllite-phyllite contact. Stratigraphy generally strikes east-west and dips moderately to steeply north.

The KJ occurrence is associated with discordant stockwork veins and silicification hosted by limestones. The alteration zone is approximately 35 m thick and can be traced for several hundred metres. Proximity to large intrusive bodies, may result in the development of gold and base metals associated with silicification and calc silicate alteration styles. In this past summer, a 500 m long sulphide rich boulder train was prospected, with samples containing up to 8.52 g/t Au and 729 g/t Ag and worked back to a calc silicate body containing 0.16% Mo and 630 ppm W. Prospecting samples routinely carry high gold and silver and very low As values; see Table 1.

The rapid change from base metal dominant, gold deficient occurrences, e.g., Montgomery, to strongly precious metals associated sulphides at the KJ and Melt occurrences suggest that a second mineralizing system is present on the Downie claims area which may be intrusion related.

Table 1. Prospecting Rock Sample Results from RKR Downie and Keystone Claims¹

| Sample | Area | Easting | Northing | Au g/t | Ag g/t | Pb % | Zn % | As % |
|---------|----------|---------|----------|--------|--------|-------|-------|--------|
| B836281 | Keystone | 410423 | 5701842 | 4.51 | 25 | 1.34 | 0.34 | 27.58 |
| B836282 | Keystone | 410423 | 5701842 | 0.56 | 274 | 16.33 | 2.92 | 2.138 |
| P310223 | Melt | 406612 | 5712558 | 2.52 | 3 | <0.01 | <0.01 | <0.005 |
| P310232 | Melt | 406625 | 5712825 | 0.02 | 2 | <0.01 | 21.55 | <0.005 |
| P310233 | Melt | 406435 | 5712785 | 5.30 | 4 | <0.01 | 0.04 | <0.005 |
| B836409 | Melt | 406148 | 5712717 | 2.53 | 63 | 3.1 | 0.97 | <0.005 |
| B836287 | KJ | 408806 | 5712859 | 2.89 | <1 | <0.01 | 0.01 | <0.005 |
| B836290 | KJ | 408621 | 5712497 | 5.81 | <1 | <0.01 | 1.38 | <0.005 |
| B836291 | KJ | 408607 | 5712527 | 1.49 | 17 | 0.58 | 23.92 | <0.005 |
| B836292 | KJ | 408581 | 5712543 | 0.63 | <1 | 0.01 | 3.04 | <0.005 |
| B836293 | KJ | 408646 | 5712565 | 8.52 | 281 | 22.98 | 6.15 | 0.019 |
| B836294 | KJ | 408646 | 5712564 | 2.96 | 729 | 52.26 | 10.37 | <0.005 |
| B836296 | KJ | 408438 | 5712679 | 1.39 | 220 | 3.38 | 11.45 | <0.005 |
| B836401 | KJ | 408628 | 5712565 | 0.84 | 2 | 0.04 | 0.03 | <0.005 |
| B836358 | KJ | 408713 | 5712422 | 0.011 | 239 | 7.65 | 8.19 | <0.005 |
| B836359 | KJ | 408712 | 5712463 | 2.117 | 3.4 | 0.113 | 0.118 | <0.005 |

Footnote 1.

All samples are prospecting style chip and grab rock samples. The prospecting samples characterize the higher-grade mineralization. Not all samples should be considered representative of the mineralized zones within the occurrences documented in part by these samples.

Keystone Claims (Figure 1 and Table 1)

The Keystone Property overlies two significantly different target types including:

1. Goldstream Mine Target. The Goldstream target is characterized by a sulphide and gossanous horizon containing precious metals ranging in width from 2.5 to 5 metres continuing for a strike length of 1,800 metres. The mineralization is hosted near the contact between chlorite rich mafic volcanic units and black phyllites of the Index formation. Historical exploration efforts concentrated on this stratigraphic interval. Although Goldstream style stratigraphy underlies portions of the Keystone claims, this target was not the focus of Rokmaster's prospecting programs.
2. Revel Ridge - A&E Style Target. The Keystone (Table 1) high grade gold sample results obtained last summer by Rokmaster's field crews are located approximately 3.5 km to the east of the Goldstream Mine style sulphide horizon. Local, precious metals enriched high sulphide samples are located proximal to tight north-northeast trending overthrust antiformal closures between the Badshot Limestone and Index Formation phyllites. High sulphide samples are hosted in dolomitized carbonate and contain strong Au up to 4.5 g/t and up to 274 g/t Ag with elevated arsenic, see Table 1. The stratigraphic and structural environment exhibits strong similarities to the A & E and A & E South mineralized zones of the Revel Ridge Property. Rokmaster's exploration focus is directed towards this target type and the success of the Company's prospecting efforts strongly validates that exploration strategy.

John Mirko, President and CEO of Rokmaster stated: "Over the past 18 months Rokmaster's technical team

has made significant advances in the understanding of the principal controls on mineralization at the Revel Ridge precious metals enriched orogenic gold - polymetallic deposit. We are now recognizing similar environments at the regional scale, exemplified by Keystone. In addition, in the northern claim blocks, decades of exploration efforts had been directed towards Goldstream style, low precious metal - high base metal, volcanic hosted targets. That focus may have been to the detriment of other target types. Recognition of significant gold occurrences, potentially with an intrusion related signature in the KJ area, exemplifies where re-evaluation of historic data may lead.

Rokmaster's regional prospecting programs in the Revel North claim area represents a seamless extension of the successful exploration undertaken at Revel Ridge. The knowledge base developed from this work will continue to provide the foundation not only for continued exploration at Revel Ridge, but for all other precious metals targets within the expanding camp."

View Rokmaster's northern projects claim map online at:
rokmaster.com/projects/revel-ridge/maps-and-figures/

Quality Assurance/Quality Control. All prospecting rock samples were shipped to MSA Labs in Langley, British Columbia. MSA Labs is an ISO 17025 (Testing and Calibration Laboratory) and an ISO 9001 (Quality Management System) Certified Laboratory. Rock samples were crushed to 2 mm and a 500-gram sub sample was pulverized with 85% of the sample passing 75 microns. The sub sample was analysed using a combination of MSA Labs FAS211 for Au and ICP-240 (4 acid digestion) for silver, base metals and other trace elements. FAS211 for gold is an ore grade fire assay of a 50 g pulp with an AAS finish with a detection range between 0.01 and 100 ppm). ICP-240 utilizes four acid digestion and provides ore grade analytical data on silver, base metals and 26 other elements. In addition to internal MSA lab standards, Rokmaster submitted known standards into the sample stream.

The technical information in this news release has been prepared in accordance with Canadian regulatory requirements and reviewed and approved by Eric Titley, P. Geo., a qualified person for the purposes of National Instrument 43-101, who is independent of Rokmaster.

On Behalf of the Board of Directors of

[Rokmaster Resources Corp.](http://RokmasterResourcesCorp.com)

John Mirko,
President & Chief Executive Officer.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this press release.

About Rokmaster

Rokmaster controls a portfolio of three significant exploration and development projects all of which are located in southern British Columbia in regions of excellent infrastructure. The three projects include:

1. Revel Ridge. Rokmaster is currently conducting an underground drill program at the Revel Ridge Project located southeastern British Columbia 35 km's north of the City of Revelstoke. Revel Ridge is host to a high-grade gold and polymetallic orogenic sulphide deposit which has been the subject of a PEA Technical Report dated December 8,

2. Big Copper. Rokmaster controls the Big Copper Property in the Kimberley area of southern British Columbia. Big Copper is a high-grade copper-silver occurrence hosted in mid-Proterozoic rocks. Copper-silver mineralization has been traced along strike and is exposed in a series of adits and trenches over approximately 500 m of vertical relief. Big Copper belongs to a class of stratabound replacement copper-silver deposits hosted within mid - Proterozoic quartzitic sequences. The style and stratigraphic setting of mineralization at Big Copper may be analogous to similar stratabound silver-copper deposits in NW Montana, e.g., the Troy Mine (a significant past producer of copper and silver) or Hecla's Montana pre-development project, with, 112 million tonnes Inferred at 54.8 g/t Ag and 0.7% Cu*. (Hecla, 2020 Annual Report, www.hecla-mining.com).²

Footnote (2). The qualified person has been unable to verify this inferred resource.

3. Duncan Lake Zinc. Duncan is a carbonate hosted silver-lead-zinc deposit located near Duncan Lake in southern British Columbia. The deposit is hosted within a Cambrian age Badshot Limestone which also hosts Zn-Pb-Ag mineralization. Teck's recently producing Pend D'Oreille Mine as well as past producers including the Blue Bell Mine, Reeves Mine, Jersey-Emerald and HB mines. Mineralization at Duncan Lake forms in the crest and limbs of the regional scale Duncan Lake anticline, where strong zinc-lead +/- silver mineralization has been traced by surface and underground for approximately 2,500 m. At Duncan Lake, Rokmaster will be targeting > 30 Mt of >10% Zn+Pb+Ag. Historical data and a geological synthesis of the Duncan Lake deposit is provided in a NI 43-101 report by Lane, B., 2018: Technical Report on the Duncan Lake Project.

CAUTIONARY NOTE REGARDING FORWARD LOOKING STATEMENTS: This news release may contain forward-looking information within the meaning of applicable securities laws ("forward-looking statements"). Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects," "plans," "anticipates," "believes," "intends," "estimates," "projects," "potential" and similar expressions, or that events or conditions "will," "would," "may," "could" or "should" occur. These forward-looking statements are subject to a variety of risks and uncertainties which could cause actual events or results to differ materially from those reflected in the forward-looking statements, including, without limitation: risks related to fluctuations in metal prices; uncertainties related to raising sufficient financing to fund the planned work in a timely manner and on acceptable terms; changes in planned work resulting from weather, logistical, technical or other factors; the possibility that results of work will not fulfill expectations and realize the perceived potential of the Company's properties; risk of accidents, equipment breakdowns and labour disputes or other unanticipated difficulties or interruptions; the possibility of cost overruns or unanticipated expenses in the work program; the risk of environmental contamination or damage resulting from Rokmaster's operations and other risks and uncertainties. Any forward-looking statement speaks only as of the date it is made and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/517330--Rokmaster-Acquires-5326-ha-of-Mineral-Claims-Targeting-Au-Ag-Pb-Zn-Cu-Mineralization-at-Its-New-Revel-North-F>

SOURCE Rokmaster Resources Corp.

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).