

Pan American Energy Corp Announces One of the Largest Identified Lithium Deposits in the US at the Horizon Lithium Project

20.11.2023 | [GlobeNewswire](#)

CALGARY, Nov. 20, 2023 - [Pan American Energy Corp.](#) (CSE:PNRG) (OTC PINK: PAANF) (FRA: SS60) ("Pan American" or the "Company") is pleased to announce its inaugural mineral resource estimate ("MRE") on its Horizon Lithium Project (the "Project") in Big Smoky Valley, Esmeralda County, Nevada. The MRE was completed pursuant to the requirements of National Instrument 43-101 - *Standards of Disclosure for Mineral Projects* ("NI 43-101"). The Horizon Lithium Project is one of the largest land packages in the Tonopah Lithium Belt, encompassing 839 unpatented lode claims covering approximately 17,334 acres. Pan American holds its interest in the Project pursuant to a property option agreement (the "Property Option Agreement") entered into with the owner of the Project, Horizon Lithium LLC, which allows Pan American to explore the Project and to earn a 100% interest in the Project by making certain cash payments and share issuances to Horizon Lithium LLC.

The MRE was completed by RESPEC, LLC ("RESPEC"), a leader in lithium claystone resource estimations and engineering design work, utilizing the results of the Company's 20-hole exploratory drill program, which had totalled approximately 4,371.6 metres. RESPEC has also been engaged to prepare a technical report on the Project containing the full results of the Company's drill program and the MRE (the "Technical Report"). Pursuant to NI 43-101, the Company will file the Technical Report within 45 days of the date hereof on the Company's SEDAR+ profile at www.sedarplus.ca.

Highlights

- One of the largest identified lithium deposits in the U.S. with an estimated Indicated Mineral Resource of 1,325 Lithium Carbonate Equivalent ("LCE") Kilo tonnes ("KTonnes") and Inferred Mineral Resource of 8,879 LCE KTonnes, with an average grade of 678 ppm lithium ("Li") (see table below for additional details regarding the calculation of the MRE and the average Li grades for the Inferred Mineral Resources and Indicated Mineral Resources).
- High-Grade Mineral Resources. Estimates were calculated based on a conservative 300 ppm Li cut-off within an optimized pit.
- Rapid advancement in a short timeframe. The MRE is based on 20 diamond drill holes completed in 2023, within a year of the Company acquiring rights to the Project pursuant to the Property Option Agreement. One hole was abandoned due to hole conditions and was not used in the MRE.
- Significant expansion potential through step-out drilling to extend the deposit to the North West, South, East and West and at greater depths. The Company is actively evaluating geophysical exploration techniques and Phase 3 drill planning.
- Accelerated project engineering. The work necessary to complete a Preliminary Economic Assessment ("PEA") for the Project, including metallurgical assessment, is underway and expected to be completed in Q4-2024.
- Access and infrastructure. The Project benefits from an ideal location near essential infrastructure and the town of Tonopah with limited impediments (i.e. no highway intersects impacting pit design).

The Project sits immediately adjacent to American Battery Technology's ("ABTC") Tonopah Flats project, with a mineral resource estimate of 15.8 million tonnes of Inferred LCE mineral resources^[1]. The mineral resource estimate completed by ABTC for its Tonopah Flats project was also prepared by RESPEC and was completed in accordance with Securities and Exchange Commission Regulation S-K 1300.

The Project's resource block model and tabulation was completed based on the data collected from 20 drill holes which were completed during 2023. Mineral domains were interpreted on 450-meter cross sections, solidified into 3D solids, and coded into the model as lithium domain percentages. The lithium grades were interpolated by inverse-distance at a power of 2 by using the lithium domain percentages to assist in constraining the grade estimation. The resource estimate has also been constrained by pit optimization to determine a shape and cut-off grade in order to meet the requirement of reasonable prospects for economic

extraction. The MRE is summarized below:

Table 1. Mineral Resource Estimate for the Horizon Lithium Project

Classification	Cut-off (ppm Li)	Total KTonnes	Average Grade (ppm Li)	Li KTonnes	LCE KTonnes
Indicated	300	372,845	669	249	1,325
Inferred	300	2,453,963	680	1,668	8,879

Notes:

- The MRE was done by RESPEC in metric tonnes.
- Mineral Resources comprised all model blocks at a 300 ppm Li cut-off within an optimized pit.
- Mineral Resources within the optimized pit are block-diluted tabulations.
- In order to describe the resource in terms of 'industry standard' lithium carbonate equivalent, a conversion factor of 5.323 was used to convert elemental lithium to LCE.
- 20 drillholes were drilled, however only 20 holes were used in the MRE as one hole was abandoned due to loss circulation issues.
- An Inferred Mineral Resource has a lower level of confidence than that applying to Measured and Indicated Resources and must not be converted to Mineral Reserves. It is reasonably expected that most of the Inferred Mineral Resources could be upgraded to Indicated Mineral Resources with continued exploration.
- Mineral Resources potentially amenable to open pit mining methods are reported using a lithium carbonate price of US\$20,000/tonne, a throughput rate of 10,800 Ktonnes/day, assumed metallurgical recoveries of 66%, mining costs of US\$2.20/tonne mined, processing costs of US\$14.12/tonne processed and general and administrative costs of \$0.42/tonne processed. The results from the pit optimization are used solely for the purpose of testing the "reasonable prospects for economic extraction" by an open pit and do not represent an attempt to estimate mineral reserves. There are no mineral reserves on the Project. The results are used as a guide to assist in the preparation of the MRE and to select an appropriate resource reporting cut-off grade. The estimate of Mineral Resources may be materially affected by environmental, permitting, legal, title, taxation, socio-political, marketing or other relevant issues. The effective date of the MRE is November 15, 2023.
- All figures are rounded to reflect the relative accuracy of the estimate and numbers may not add due to rounding.

Jason Latkowcer, Chief Executive Officer of Pan American, commented, "This initial mineral resource estimate marks the most important milestone to date for our Company, highlighting the identification of a large scale and high-grade lithium deposit with significant future potential right here in North America. The past year has been an impressive demonstration of how quickly our team has been able to meet operational objectives. Within less than a year, our drilling efforts led to a tremendous discovery of a cluster of lithium mineralization and the inaugural mineral resource estimate on the Project - one of the largest in the United States. I commend our team and contractors. Our execution strategy is to advance the Project through engineering as quickly as possible, while concurrently working to expand and upgrade the mineral resources at the Project. We will also consider prospective acquisition targets in the area in order to enhance our land package. We look forward continuing to deliver results."

Tabetha Stirrett, P.Geo., consulting geologist of RESPEC, independent consultant of the Company, commented, "This maiden NI 43-101 mineral resource estimate is a major achievement for Pan American and I am very proud of what our exploration team has done to support this accomplishment in such a short period of time. Pan American have established a strong foundation to build upon, and we are focused on continuing to help them grow their lithium resources significantly over the next 6 to 12 months. The team is currently planning geophysical exploration work and additional infill holes that have the potential to expand the mineralization."

Figure 1 - The Project boundary, 20 exploratory drillholes used in the MRE, and the Mineral Resource body showing unexplored areas to the west, northwest, east and south.

Details related to the calculation of the MRE

The MRE was prepared by Tabetha Stirrett, P. Geo. (the "Author" or "QP") with an effective date of

November 15, 2023. This estimate is the ?inaugural Mineral Resource Estimate produced by Pan American since the Company acquired rights to the ?Project pursuant to the Property Option Agreement.?

The MRE was estimated using the following geological and resource block modeling parameters ?which are based on geological interpretations, geostatistical studies, and best practices in mineral ?estimation.?

The QP is not aware of any factors or issues that materially affect the MRE other than normal ?risks faced by mining projects in the area of the Project in terms of environmental, permitting, taxation, ?socio-economic, marketing, and political factors, and the additional risk factors normally associated with the estimation of inferred mineral ?resources.?

- The Project geology is comprised of sedimentary rocks of the Siebert Formation deposited by lacustrine, fluvial, and volcanic processes during the middle Miocene epoch. The Siebert Formation is overlain in varying amounts by sedimentary and volcanoclastic sands and gravels sourced from the surrounding terrain.
- Drilling conducted by Pan American included diamond core drilling of HQ size (63.5 mm ?diameter).?
- Diamond core has been sampled in intervals of 1.52 m where possible. 2,311 core samples have been ?collected and submitted for analysis. Duplicate samples, pulp and coarse blank samples, and certified reference material used as standard samples were ?submitted for QA/QC analysis.?
- Geochemical analysis of drill core samples was conducted by ALS Global in Reno, Nevada where they were ?analyzed for a 48-element suite via ICP-MS following four acid digestion. ALS is independent of the Company.
- The MRE was estimated from the diamond drill holes completed by Pan American since ?February 2023. A total of 20 drill holes comprising 2,311 assays were used for the mineral ?resources model.?
- The 3D modelling of the Mineral Resources was conducted using a minimum ?grade of 60 ppm Li within a preliminary lithological model. The Li-grade distribution was analyzed on a population distribution graph and three grade populations were identified for modeling purposes. These populations were used in conjunction with geologic characteristics to generate 2D mineral domain interpretations on 450-m cross sections. The 2D mineral domains were used to generate 3D mineralized solids. Volume percentages of these solids were coded into the block model and applied to the interpolation of Li grades to constrain the estimation. The interpolation was conducted using Inverse Distance Squared (ID2) methodology with ?two interpolation passes for each mineral domain.?
- The block model was defined by a block size of 30 m long by 30 m wide by 10 m thick and ?covers a strike length of approximately 10,800 m to a maximal vertical depth of 870 m ?below surface.?
- The MRE was classified as Indicated or Inferred Mineral Resources based on ?data quality, sample spacing, and mineral domain continuity. ?Mineral Resources were defined using a search ellipsoid 1,000 m by 1,000 m by 250 m.
- Classification focused on spatial relation using a minimum of 1 composite within a maximum isotropic distance of 200 m to a block for the Indicated Mineral Resources.?
- Validation has proven that the block model fairly reflects the underlying data inputs. ?Variability over distance is relatively moderate to low for this deposit type, therefore the ?maximum classification level is Indicated Mineral Resources.?
- Mineralization at the deposit extends to surface and is expected to be suitable for open ?cut mining. No minimum mining width was applied. Internal mining dilution is limited to ?internal barren host rock intervals within the mineralized claystone ?intervals. Based on these assumptions, it is considered that there are no mining ?factors which are likely to affect the assumption that the deposit has reasonable ?prospects for eventual economic extraction.?
- It is the QP's opinion that the current classification used is adequate and reliable for this ?type of mineralization and mineral resource estimate.?
- Mineral Resources were constrained within the boundaries of an optimized pit shell using ?the following constraints: Concentrate price: USD\$20,000/t; mining costs: USD\$2.20/t ROM; ?Processing costs: USD14.12/t ROM, General/Admin: USD\$0.42/t ROM, Lithium Recovery: ??66%. The MRE reported is a pit-constrained estimate with reasonable prospects of eventual economic ?extraction.?

About Pan American.?

[Pan American Energy Corp.](#) (CSE: PNRG) (OTC PINK: PAANF) (FSE: SS60) is an exploration stage company engaged principally in the acquisition, exploration and development of mineral properties containing battery metals in North America.

The Company executed an option agreement in Canada with Magabra Resources, providing for the right to acquire up to a 90% interest in the drill-ready Big Mack Lithium Project 80 km north of Kenora, Ontario. The

Company has also entered into a Property Option Agreement with Horizon Lithium LLC, providing for the right to acquire a 100% interest in the Horizon Lithium Project, located within Esmeralda County - Tonopah Lithium Belt, Nevada, USA.

Qualified Persons

The technical content of this news release has been reviewed and approved by Tabettha Stirrett, P.Geo, who is a consulting geologist of RESPEC, an independent consultant of the Company, and a "Qualified Person" (QP) as defined by NI 43-101.

In accordance with the guidelines outlined in NI 43-101, Section 3.2, the geological information presented herein is based on extensive fieldwork, drilling campaigns, and laboratory analyses conducted by qualified persons in compliance with the CIM Definition Standards on Mineral Resources and Mineral Reserves.

Data Verification:

The data presented in this press release have undergone a comprehensive verification process to ensure accuracy and reliability. The verification procedures were conducted by qualified professionals with relevant expertise in geological and mining disciplines, and were overseen by the Qualified Person.

Data Collection and Compilation:

All raw data, including geological, drilling, and analytical data, were collected and compiled from various sources, including fieldwork, drilling campaigns, and laboratory analyses. Data compilation involved a meticulous review to identify and rectify any inconsistencies or errors in the dataset.

QA/QC Procedures:

Quality assurance and quality control (QA/QC) procedures were implemented throughout the data collection process. Standard QA/QC measures, including the insertion of certified reference materials, duplicate samples, and blanks, were employed during drilling and sampling campaigns. Regular checks and audits were conducted to monitor and address any deviations from established QA/QC protocols.

MRE Verification

The project's mineral resource estimation heavily depended on explicitly modeling lithium mineralization domains in cross-sections. This practical approach ensured a thorough verification of the data, meticulously assessing the continuity and significance of geological variables and assays within that context.

Limitations on the Verification Process:

Despite rigorous verification efforts, it is essential to acknowledge certain limitations associated with the data verification process:

Sampling Variability:

While QA/QC measures were implemented to address sampling variability, inherent variability in geological and mineralization characteristics may introduce uncertainties in the dataset.

Geological Complexity:

The property's geological setting may pose challenges in terms of interpretation and verification. Unknown

geological structures and mineralization patterns could introduce uncertainties despite verification efforts.

It is crucial to note that, despite these limitations, every effort has been made to minimize potential biases and inaccuracies in the data. Qualified Persons have exercised their professional judgment to mitigate these limitations and ensure the reliability of the information presented in this report.

Contact: ?

Phone : (587) 885-5970

Email: info@panam-energy.com

Cautionary Note Regarding Forward-Looking Statements

This press release contains statements that constitute "forward-statements." Such forward ?looking statements involve known and unknown risks, uncertainties and other factors that may ?cause the Company's actual results, performance or achievements, or developments to differ ?materially from the anticipated results, performance or achievements expressed or implied by ?such forward-looking statements. Although the Company believes, in light of the experience of its ?officers and directors, current conditions and expected future developments and other factors ?that have been considered appropriate that the expectations reflected in this forward-looking ?information are reasonable, undue reliance should not be placed on them because the Company ?can give no assurance that they will prove to be correct. When used in this press release, the ?words "estimate", "project", "belief", "anticipate", "intend", "expect", "plan", "predict", "may" or ?? "should" and the negative of these words or such variations thereon or comparable terminology ?are intended to identify forward-looking statements and information. The forward-looking ?statements and information in this press release include information relating to: the prospectivity ?of the Project; the expectation that Inferred Mineral Resources could be upgraded to Indicated Mineral Resources; the ability of the Company to continue to deliver similar results in the future; the ability of the Company to produce a PEA; the economic viability of the Project; the mineralization and development of the Project; the Company's ?exploration program and other mining projects and prospects thereof; the Company's future plans; the completion and filing of the Technical Report; and the impacts of environmental, permitting, legal, title, taxation, socio-political, marketing and other factors relevant to the Project and the Company's activities. ?Such statements and information reflect the current view of the Company. Risks and uncertainties that ?may cause actual results to differ materially from those contemplated in those forward-looking ?statements and information. By their nature, forward-looking statements involve known and unknown ?risks, uncertainties and other factors which may cause our actual results, performance or achievements, ?or other future events, to be materially different from any future results, performance or achievements ?expressed or implied by such forward-looking statements. The forward-looking information contained ?in this news release represents the expectations of the Company as of the date of this news release and, ?accordingly, is subject to change after such date. Readers should not place undue importance on ?forward-looking information and should not rely upon this information as of any other date. The ?Company undertakes no obligation to update these forward-looking statements in the event that ?management's beliefs, estimates or opinions, or other factors, should change. ?

Information and links in this press release relating to other mineral resource companies ?are from their sources believed to be reliable, but that have not been independently ?verified by the Company. ?

The CSE has neither approved nor disapproved the information contained herein.

[1] Information regarding the mineral resource estimate for ABTC's Tonopah Flats project was taken from the "Technical Report Summary for the Tonopah Flats Lithium Project, Esmeralda and NYE Counties, Nevada, USA" prepared for ABTC by RESPEC with an effective date of November 8, 2022, which report is publicly available. Readers are cautioned that this report was prepared in accordance with the disclosure requirements of the US Securities and Exchange Commission under subpart 1300 of Regulation S-K, which differ significantly from the requirements of NI 43-101 applicable to the Company and Horizon. Readers are further cautioned that the information included in this press release regarding ABTC's Tonopah Flats project, and specifically the mineral resource estimate prepared for this project, is not necessarily indicative of the mineralization of Horizon.

Dieser Artikel stammt von [GoldSeiten.de](#)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/600640--Pan-American-Energy-Corp-Announces-One-of-the-Largest-Identified-Lithium-Deposits-in-the-US-at-the-Horizon-Lit>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).