

NexGen Announces Additional Mineralization Discovered at Patterson Corridor East, Assays from RK-24-183 and Commencement of Expanded Summer Exploration Program

29.05.2024 | [CNW](#)

VANCOUVER, May 29, 2024 - [NexGen Energy Ltd.](#) ("NexGen" or the "Company") (TSX: NXE) (NYSE: NXE) (ASX: NXE) is pleased to announce drilling at Patterson Corridor East ("PCE") has intersected mineralization in RK-24-193 over 67.5 m (383.5 to 451 m) across various intervals including up to 7,500 cps over 1.5 m (Figures 1 to 4, Table 1). RK-24-193 is located 1.5 m southwest along strike of RK-24-183 (discovery hole) and at approximately the same depth below surface.

In addition, assays from RK-24-183 confirm high grade uranium veins across a 20 m interval with several intersections: 13.5 m at 0.78% U_3O_8 including 0.5 m (348.0 to 348.5 m) at 10% U_3O_8 and another 0.5 m (356.5 to 357 m) at 6.23% U_3O_8 (Table 2). For reference, the Arrow discovery hole RK-14-21 assayed 5.75 m at 0.37% U_3O_8 , including 0.25 m at 5.77% U_3O_8 .

Collectively, these results of multiple narrow intersections of mineralization in two holes represent a current strike length of 20 m at PCE, suggesting a potential upper edge to mineralization highly analogous to the early holes at Arrow (Figure 1). Consequently, the summer drilling program has been expanded to 4 drill rigs and targeting 22,000 m at PCE (Figure 2).

Leigh Curyer, Chief Executive Officer, commented: "Our team has assessed the geological similarities between RK-24-183, RK-24-193 and the upper areas of Arrow, which indicates the high prospectivity of an additional mineralized system 3.5 km south of Arrow. Consequently, the growing potential of this latest discovery will drive the focus of the summer exploration program to determine the potential size and extent of mineralization. Efficient and bold testing of the overall system is the first priority."

It is an exciting time at NexGen with the Company recently advancing the Federal Environmental Assessment process for the Arrow Project through the submission of responses to the remaining Information Requests, as well as advancing detailed engineering and exploring a new discovery in parallel."

RK-24-193

This new hole intersected elevated radioactivity over 67.5 m (Table 1) with mineralization style and alteration intensity closely resembling up dip projections that were seen during the early discovery holes at Arrow.

In addition, drill results further south in RK-24-180, RK-24-192, and RK-24-194 indicate a possible repetition of prospective structure that correlates well with the local gravity low, a typical indicator of potential hydrothermal alteration. Numerous reactivated structures and associated intense alteration within these three drillholes highlight a potential supplementary uranium-bearing trend within the same system. This has doubled the size of the system to be tested this summer with an approximate extent of 1.5 km long by 1.2 km wide (Figure 2). Potential remains in most directions within this highly prospective area.

Summer Drilling

Focus of the expanded summer program is on assessing the broad hydrothermal system at PCE (Figure 2) and expanding the mineralized footprint. Robust analysis and interpretation processes will be utilized to actively assess potential while efficiently testing priority targets.

Over 22,000 m of diamond drilling is planned for the PCE system utilizing four drill rigs. This represents a near tripling of drilling from the winter to summer program. Optionality exists with planning underway to increase the total based on drill results.

will primarily be tested between 400 and 700 m below surface to test potential depth extensions, as is present at Arrow drilling will significantly advance the investigation of PCE while highlighting geological relationships that can be applied within NexGen's exploration portfolio (Figure 5).

Table 1: 2024 Spectrometer results to date

Drillhole		Unconformity Handheld Spectrometer Results (RS-125)					
Hole ID	Azimuth Dip	Total Depth (m)	Depth (m)	From (m)	To (m)	Width (m)	CPS Range
RK-24-179 310	-70 462	138		141	141.5	0.5	<500 - 1,100
				150	151	1	<500
				154	155	1	<500 - 560
				156.5	157	0.5	<500
RK-24-180 310	-70 366	102.3		No Significant Intersections			
RK-24-181 310	-70 573	115.7		191.5	192	0.5	<500
RK-24-182 310	-70 411	N/A		No Significant Intersections			
RK-24-183 310	-70 501	125.3		347.5	350	2.5	500 - 52,000
				350	351	1	<500 - 1,200
				351	354	3	700 - 16,200
				354	355	1	<500 - 570
				355	358	3	1,300 - >61,000
				358	358.5	0.5	790 - 2,100
				358.5	362.5	4	<500 - 680
				362.5	363	0.5	<500 - 1,070
				363	365	2	<500
				365	365.5	0.5	800 - 7,700
				365.5	367	1.5	<500
				367	367.5	0.5	<500 - 28,000
RK-24-184 280	-70 534	137.7		No Significant Intersections			
RK-24-185 310	-70 396	N/A		312.5	313.5	1	<500
				335	335.5	0.5	<500
RK-24-186 310	-70 440	128.2		181.5	182	0.5	<500 - 700
				211	212	1	<500 - 600
RK-24-187 310	-70 501	116.8		163	164.5	1.5	<500
				191			

RK-24-188310	-70 510	120.5	338	340	2	<500
			410.5	412.5	2	<500
			418.5	421.5	3	<500
RK-24-189310	-70 537	130	No Significant Intersections			
RK-24-190310	-70 547	123.8	No Significant Intersections			
RK-24-191310	-70 402	N/A	266	267	1	<500 - 700
RK-24-192310	-70 444	108.5	No Significant Intersections			
RK-24-193310	-70 621	N/A	383.5	384.5	1	<500 - 820
			389.5	390	0.5	<500 - 1,330
			393.5	394	0.5	<500
			401.5	402.5	1	580 - 640
			413	413.5	0.5	<500
			417.5	418.5	1	<500
			419	420.5	1.5	<500 - 7,500
			423	425	2	<500 - 700
			426.5	428	1.5	<500 - 1,100
			428.5	429	0.5	<500
			430	430.5	0.5	<500 - 3,100
			432	434	2	<500 - 2,850
			435	437	2	<500

- All depths and intervals are meters downhole, true thicknesses are yet to be determined.
- "Off-scale" refers to >61,000 cps total readings by gamma spectrometer type RS-125.
- Unconformity of 'N/A' denotes a lack of visible contact between Anabas sandstone and basement rock.
- Maximum internal dilution 2.0 m downhole.
- Minimum thickness of 0.5 m downhole.

RK-24-194310 -70 420 98.6 190.5 191 0.5 <500

- All depths and intervals are metres downhole, true thicknesses are yet to be determined. Resource modelling in c with an updated mineral resource estimate is required before true thicknesses can be determined.

Table 2: 2024 Assay results to date

Drillhole			Unconformity	SRC Geoanalytical Results			
			Depth (m)	(Cutoff 0.01%)			
Hole ID	Azimuth	Dip	Total Depth (m)	From (m)	To (m)	Width (m)	U ₃ O ₈ (wt%)
RK-24-179310	-70	462	138	No Significant Intersections			
RK-24-180310	-70	366	102.3	No Significant Intersections			
RK-24-181310	-70	573	115.7	No Significant Intersections			
RK-24-182310	-70	411	N/A	No Significant Intersections			
RK-24-183310	-70	501	125.3	347.5	361	13.5	0.78
			including	348	348.5	0.5	10.0
			including	356.5	357	0.5	6.23
				362.5	363	0.5	0.07
				365	365.5	0.5	0.55
				367	367.5	0.5	1.42
				369.5	370	0.5	0.01
RK-24-184280	-70	534	137.7	No Significant Intersections			
RK-24-185310	-70	396	N/A	312.5	313.5	1	0.01
				335	335.5	0.5	0.05
RK-24-186310	-70	440	128.2	No Significant Intersections			
RK-24-187310	-70	501	116.8	No Significant Intersections			
RK-24-188310	-70	510	120.5	412	412.5	0.5	0.02
				418.5	419	0.5	0.01
				419.5	420	0.5	0.01
				422.5	424	1.5	0.01
RK-24-189310	-70	537	130	No Significant Intersections			
RK-24-190310	-70	547	123.8	No Significant Intersections			
RK-24-191310	-70	402	N/A	No Significant Intersections			
RK-24-192310	-70	444	108.5	No Significant Intersections			
RK-24-193310	-70	621	N/A	Assays Pending			
RK-24-194310	-70	420	98.8	No Significant Intersections			

- All depths and intervals are meters downhole, true thicknesses are yet to be determined.
- Unconformity of 'N/A' denotes a lack of visible contact between Athabasca sandstone and basement rock.
- Maximum internal dilution 2.0 m downhole.
- Minimum thickness of 0.5 m downhole.

- Cutoff grade 0.01% U₃O₈.
- All depths and intervals are metres downhole, true thicknesses are yet to be determined. Resource modelling in conjunction with an updated mineral resource estimate is required before true thicknesses can be determined.

About NexGen

[NexGen Energy](#) is a Canadian company focused on delivering clean energy fuel for the future. The Company's flagship Rook I Project is being optimally developed into the largest low cost producing uranium mine globally, incorporating the most elite standards in environmental and social governance. The Rook I Project is supported by a NI 43-101 compliant Feasibility Study which outlines the elite environmental performance and industry leading economics. NexGen is led by a team of experienced uranium and mining industry professionals with expertise across the entire mining life cycle, including exploration, financing, project engineering and construction, operations, and closure. NexGen is leveraging its proven experience to deliver a Project that leads the entire mining industry socially, technically, and environmentally. The Project and prospective portfolio in northern Saskatchewan will provide generational long-term economic, environmental, and social benefits for Saskatchewan, Canada, and the world.

NexGen is listed on the Toronto Stock Exchange, the New York Stock Exchange under the ticker symbol "NXE" and on the Australian Securities Exchange under the ticker symbol "NXG" providing access to global investors to participate in NexGen's mission of solving three major global challenges in decarbonization, energy security and access to power. The Company is headquartered in Vancouver, British Columbia, with its primary operations office in Saskatoon, Saskatchewan.

Technical Disclosure*

All technical information in this news release has been reviewed and approved by Jason Craven, NexGen's Manager, Exploration, a qualified person under National Instrument 43-101.

Natural gamma radiation in drill core reported in this news release was measured in counts per second (cps) using a Radiation Solutions Inc. RS-125 gamma spectrometer. The reader is cautioned that total count gamma readings may not be directly or uniformly related to uranium grades of the rock sample measured; they should be used only as a preliminary indication of the presence of radioactive minerals.

A technical report in respect of the FS is filed on SEDAR (www.sedar.com) and EDGAR (www.sec.gov/edgar.shtml) and is available for review on [NexGen Energy's](http://www.nexgenenergy.ca) website (www.nexgenenergy.ca).

Cautionary Note to U.S. Investors

This news release includes Mineral Reserves and Mineral Resources classification terms that comply with reporting standards in Canada and the Mineral Reserves and the Mineral Resources estimates are made in accordance with NI 43-101. NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for all public disclosure an issuer makes of scientific and technical information concerning mineral projects. These standards differ from the requirements of the Securities and Exchange Commission ("SEC") set by the SEC's rules that are applicable to domestic United States reporting companies. Consequently, Mineral Reserves and Mineral Resources information included in this news release is not comparable to similar information that would generally be disclosed by domestic U.S. reporting companies subject to the reporting and disclosure requirements of the SEC. Accordingly, information concerning mineral deposits set forth herein may not be comparable with information made public by companies that report in accordance with U.S. standards.

Forward-Looking Information

The information contained herein contains "forward-looking statements" within the meaning of applicable United States securities laws and regulations and "forward-looking information" within the meaning of applicable Canadian securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to mineral reserve and mineral resource estimates, the 2021 Arrow Deposit, Rook I Project and estimates of uranium production, grade and long-term average uranium prices, anticipated effects of completed drill results on the Rook I Project, planned work programs, completion of further site investigations and engineering work to support basic engineering of the project and expected outcomes. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).