

# Abitibi Metals Corp. Drills 4.9% CuEq over 5.1 m within 2.1% CuEq over 13.6 m at the B26 Polymetallic Deposit

17.12.2024 | [CNW](#)

## Highlights:

- High-Grade Drill Results: Hole 1274-24-346 delivered 4.9% CuEq over 5.1 metres within 2.1% CuEq over 13.6 metres, starting at 367 metres depth.
  - This high-grade mineralization delineates the southern boundary of the B26 system.
  - Results align with the recently updated 2024 Mineral Resource Estimate (MRE):
    - Indicated Resources: 11.3 Mt at 2.13% CuEq (1.23% Cu, 1.27% Zn, 0.46 g/t Au, 31.9 g/t Ag)
    - Inferred Resources: 7.2 Mt at 2.21% CuEq (1.56% Cu, 0.17% Zn, 0.87 g/t Au, 7.4 g/t Ag)
- Geophysical Survey Initiatives: A downhole electromagnetic (EM) program is planned to explore depth extensions and potential larger mineralized sources near the B26 Deposit.
- Jonathon Deluce, CEO of [Abitibi Metals](#), commented, "We are thrilled with Phase II results from hole 346, which showcases B26's high-grade expansion potential at the mid-level target, particularly as we continue to work towards defining a deposit that is in the range of 30 - 50 Mt"

LONDON, Dec. 17, 2024 - [Abitibi Metals Corp.](#) (CSE: AMQ) (OTCQB: AMQFF) (FSE: FW0) ("Abitibi" or the "Company") is pleased to provide an update on the 16,500-metre Phase II drill program at the B26 Polymetallic Deposit ("B26", the "Project" or the "Deposit") that is currently underway. The new intercept from hole 1274-24-346 is part of a seven-hole, 5,257-meter portion of the Phase II program that is designed to explore along strike from the polymetallic lenses that form the southeastern margin of the B26 system. The ongoing drilling has the objective to expand known lenses and further define higher-grade mineralization. Abitibi Metals is fully funded with \$11.5 million to complete the remaining 2024 work program and an additional 20,000 meters in 2025, which will be incorporated into a Preliminary Economic Assessment to complete the option. On November 16th, 2023, the Company entered into an option agreement on the B26 Deposit to earn 80% over 7 years from SOQUEM Inc (see news release dated November 16, 2023).

Jonathon Deluce, CEO of Abitibi Metals, commented, "We are thrilled to announce results from the eastern section of the mid-level resource growth target, where we have confirmed higher grades within a previously untested 100-metre gap in drill coverage. These results reinforce our thesis of expanding the underground resource beyond the current ~850 million pounds of contained copper equivalent."

"Hole 346 has delivered significant mineralization, with 15-20% pyrite, sphalerite, and chalcopyrite observed in semi-massive bands. These findings are particularly exciting as the southern portion of B26 has consistently shown semi-massive to massive sulfide bands with strong zinc and silver mineralization. This new data and ongoing drilling are expected to enhance our resource model by expanding the influence of higher-grade metal zones."

Mr. Deluce continued: "We appreciate our shareholders' patience as assay turnaround times have increased to six-seven weeks due to high sample volumes at year-end. The Company is working closely with the laboratory to expedite processing wherever possible. With continued positive visual indicators from pending drill holes, we look forward to sharing further results."

## 1274-24-346

Hole 1274-24-346 was planned to fill a 100-metre gap in the drill grid and to intersect true width at hole 1274-17-252, which was drilled down dip at 180 degrees from the north. Ribboned semi-massive sulfides were intersected over a core length of 13.6 metres, hosting 1-15% chalcopyrite over metre-long intervals associated with 5-20% sphalerite. This intercept returned 0.92% copper, 2.17% zinc, 68 g/t silver, and 0.36 g/t gold from 369 to 382.65 metres.

A higher-grade interval, based on visual observations from 377.55 to 382.65 metres, yielded a CuEq value of 4.86%, comprising 2.24% copper, 4.74% zinc, 140 g/t silver, and 0.36 g/t gold. The zinc and silver-rich mineralization is encapsulated within a broader envelope of 0.66% CuEq over 71.85 metres from 310.8 metres to 382.65 metres.

Further down the hole, within a wide zone of disseminated chalcopyrite, two intervals of copper stringer mineralization were identified, returning 0.49% CuEq and 0.79% CuEq over 6.5 metres and 5.2 metres, respectively. See the detailed table below for more information.

## Outlook

Results are pending for six holes targeting section 652750E to 653150E over a strike length of 500 meters, spanning vertical depths from 200 meters to 800 meters. Depending on the results, wedge drilling will be utilized to expand mineralized sectors. Peripheral holes will undergo downhole electromagnetic (EM) surveys to identify potential mineralized extensions at depth. The Company has initiated discussions with various geophysics services providers to start early this winter. Additionally, the Company is expecting to receive reprocessed data from in-hole gravilog surveys in the near-term.

Table 1: Significant Intercepts

Hole ID	From (m)	To (m)	Length (m)	CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)
1274-24-346	310.8	382.65	71.85	0.66	0.18	NS	29.8	0.85
including	369.05	382.65	13.6	2.13	0.92	0.14	68	2.17
including	377.55	382.65	5.1	4.86	2.24	0.36	140.2	4.74
And	497.3	502.5	5.2	0.79	0.75	NS	2	0.09

Note  
1:  
The  
intercepts  
above  
are  
not  
necessarily  
representative  
of  
the  
true  
width  
of  
mineralization.  
The  
local  
interpretation  
indicates  
core  
length  
corresponding  
generally  
to  
80  
to  
90%  
of  
the  
mineralized  
lens'

true  
width.

Note  
2:  
Copper  
equivalent  
values  
calculated  
using  
metal  
prices  
of  
\$4.00/lb  
Cu,  
\$1.50/lb  
Zn,  
\$20.00/ounce  
Ag  
and  
\$1,800/ounce  
Au.  
Recovery  
factors  
were  
applied  
according  
to  
SGS  
CACGS-P2017-047  
metallurgical  
test:  
98.3%  
for  
copper,  
90%  
for  
gold,  
96.1%  
for  
zinc,  
72.1%  
for  
silver.

Note  
3:  
Intervals  
were  
calculated  
using  
a  
cut  
off  
grade  
of  
0.1%  
Cu  
Eq,  
which  
represents  
the  
visual  
limit

of  
the  
mineralized  
system.

Table 2: Drill Hole Information (Mid-Level East Target)

Drill hole number	UTM East	UTM North	Elevation	Azimuth	Dip	Length (m)	Status
Drilled							
1274-24-346	653045	5513180	276	350	-68	639	Reported
1274-24-347	652368	5513885	276	215	-75	651	Assays Pending
1274-24-348	653145	5513080	276	354.2	-54	498	Assays Pending
1274-24-349	653045	5513115	276	350	-75.9	819	Assays Pending
1274-24-350	652751	5513089	276	334.2	-76	1096.5	Assays Pending
1274-24-351	652854	5513027	276	338.1	-74	771.4	Assays Pending
1274-24-353	652856	5513030	276	343.7	-60	783	Assays Pending

The core logging program was run by Explo-Logik in Val d'Or, Quebec. The drill core was split with half sent to AGAT Laboratories Ltd. and prepared in Val d'Or, Quebec. All samples are processed by fire assays on 50 gr with atomic absorption finish and by "four acids digestion" with ICP-OES finish, respectively, for gold and base metals. Samples returning a gold grade above 3 g/t are reprocessed by metallic screening with a cut at 106 µm. Material treated is split and assayed by fire assay with ICP-OES finish to extinction. A separate split is taken to assay separately mineralized intervals with target grades above 0.5% Cu using Na2O2 fusion and ICP-OES or ICP-MS finish. Samples preparation duplicates, varied standards, and blanks are inserted into the sample stream.

In the 2018 resource estimate, SGS recommended the QAQC protocol to explain the replicability for the four metals (Au-Cu-Ag-Zn). The Company has set up for this program a series of assaying protocols with the objective to control QAQC issues from the beginning of the project. As a result, samples are crushed finer with 95% of particles passing 1.7 mm and a large split of 1 kg is pulverized down to 106 µm (150 mesh). Other measures put in place include the automatic re-assaying of gold results above 3 g/t by metallic screening and the use of sodium peroxide fusion in mineralized intervals interval corresponding to a target grade above 0.5% Cu.

#### Qualified Person

Information contained in this press release was reviewed and approved by Martin Demers, P.Geo., OGQ No. 770, a qualified person as defined under National Instrument 43-101, and responsible for the technical information provided in this news release.

#### About Abitibi Metals Corp:

Abitibi Metals Corp. is a Quebec-focused mineral acquisition and exploration company focused on the development of quality base and precious metal properties that are drill-ready with high-upside and expansion potential. Abitibi's portfolio of strategic properties provides target-rich diversification and includes the option to earn 80% of the high-grade B26 Polymetallic Deposit, which hosts a resource estimate of 11.3MT @ 2.13% Cu Eq (Ind) & 7.2MT @ 2.21% Cu Eq (Inf), and the Beschefer Gold Project, where historical drilling has identified 4 historical intercepts with a metal factor of over 100 g/t gold highlighted by 55.63 g/t gold over 5.57 metres and 13.07 g/t gold over 8.75 metres amongst four modeled zones.

#### About SOQUEM:

SOQUEM, a subsidiary of Investissement Québec, is dedicated to promoting the exploration, discovery and development of mining properties in Quebec. SOQUEM also contributes to maintaining strong local economies. Proud partner and ambassador for the development of Quebec's mineral wealth, SOQUEM relies on innovation, research and strategic minerals to be well-positioned for the future.

## ON BEHALF OF THE BOARD

Jonathon Deluce, Chief Executive Officer

The Company also maintains an active presence on various social media platforms to keep stakeholders and the general public informed and encourages shareholders and interested parties to follow and engage with the Company through the following channels to stay updated with the latest news, industry insights, and corporate announcements:

Twitter: <https://twitter.com/AbitibiMetals>

LinkedIn: <https://www.linkedin.com/company/abitibi-metals-corp-amq-c/>

Neither the Canadian Securities Exchange nor its Regulation Services Provider accepts responsibility for the adequacy or accuracy of this release.

Note 1: Copper equivalent values calculated using metal prices of \$4.00/lb Cu, \$1.50/lb Zn, \$20.00/ounce Ag and \$1,800/ounce Au. Recovery factors were applied according to SGS CACGS-P2017-047 metallurgical test: 98.3% for copper, 90% for gold, 96.1% for zinc, 72.1% for silver.

### Forward-looking statement:

This news release contains certain statements, which may constitute "forward-looking information" within the meaning of applicable securities laws. Forward-looking information involves statements that are not based on historical information but rather relate to future operations, strategies, financial results or other developments on the B26 Project or otherwise. Forward-looking information is necessarily based upon estimates and assumptions, which are inherently subject to significant business, economic and competitive uncertainties and contingencies, many of which are beyond the Company's control and many of which, regarding future business decisions, are subject to change. These uncertainties and contingencies can affect actual results and could cause actual results to differ materially from those expressed in any forward-looking statements made by or on the Company's behalf. Although Abitibi has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking information, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended. All factors should be considered carefully, and readers should not place undue reliance on Abitibi's forward-looking information. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "expects," "estimates," "anticipates," or variations of such words and phrases (including negative and grammatical variations) or statements that certain actions, events or results "may," "could," "might" or "occur. Mineral exploration and development are highly speculative and are characterized by a number of significant inherent risks, which may result in the inability of the Company to successfully develop current or proposed projects for commercial, technical, political, regulatory or financial reasons, or if successfully developed, may not remain economically viable for their mine life owing to any of the foregoing reasons, among others. There is no assurance that the Company will be successful in achieving commercial mineral production and the likelihood of success must be considered in light of the stage of operations.

SOURCE Abitibi Metals Corp.

### Contact

For more information, please call 226-271-5170, email [info@abitibimetals.com](mailto:info@abitibimetals.com), or visit <https://www.abitibimetals.com>.

Dieser Artikel stammt von [GoldSeiten.de](https://www.goldseiten.de)

Die URL für diesen Artikel lautet:

<https://www.goldseiten.de/artikel/641760--Abitibi-Metals-Corp.-Drills-4.9Prozent-CuEq-over-5.1-m-within-2.1Prozent-CuEq-over-13.6-m-at-the-B26-Polymetall>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by GoldSeiten.de 1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).